					S' DEPARTMEN	TATE OF			<u> </u>				PRM 3	
					DIVISION C				•		AME	NDED REPO	RI	
APPLICATION FOR PERMIT TO DRILL										1. WELL NAME and NUMBER Three Rivers 16-21-820				
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL DEEPEN WELL										3. FIELD OR W		SIGNATED		
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO										5. UNIT or COI	MUNITIZATIO	N AGREEN	IENT NAM	ΛE
6. NAME OF OPERATOR AXIA ENERGY LLC										7. OPERATOR PHONE 720 746-5200				
8. ADDRE	SS OF OPERAT		30 Larimer St				9. OPERATOR		iaenergy.co	m				
	AL LEASE NUM ., INDIAN, OR S		STATE (Î) FEE		12. SURFACE O	WNERSHIP INDIAN	STATE	(iii) F	EE (
13. NAME	OF SURFACE	OWNER (if box 12 =	· 'fee')							14. SURFACE	OWNER PHON	E (if box 12	= 'fee')	
15. ADDR	ESS OF SURFA	CE OWNER (if box	12 = 'fee')							16. SURFACE	OWNER E-MA	IL (if box 12	! = 'fee')	
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN') 18. INTEND TO COMMINGLE PR MULTIPLE FORMATIONS YES (Submit Commingli										19. SLANT	DIRECTIO		IODIZONI	<u></u>
20.100	TION OF WELL			FOOTA			R-QTR		CTION	TOWNSH			HORIZON	ERIDIAN
	ON AT SURFACE		1	170 FNL 1		<u> </u>	ENW		16	8.0 S		20.0 E	- MI	S
	ppermost Prod		-	660 FNL 19		-	ENW		16	8.0 S		20.0 E		s
					660 FNL 1980 FWL		ENW		16	8.0 S	_	20.0 E	-	s
21. COUNTY 22. DISTANCE TO NEAREST LE							ASE LINE (F			23. NUMBER O		RILLING UN	IT	
UINTAH 660 25. DISTANCE TO NEAREST WELL IN								POOL		26. PROPOSEI	DEPTH	40		
					plied For Drilling	or Compl 16				20.7 (0.7 0022	MD: 7021	TVD: 696	59	
27. ELEV	ATION - GROUN	4766		28.	BOND NUMBER	LPM904	29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 49-2262 - RNI at Green River							
			7	7	Hole, Casing				n					
String	Hole Size	Casing Size 8.625	0 - 1000	Weight 32.0	Grade & Th		Max Mu		Pren	Cement remium Lite High Strength		Sacks 100	Yield 2.97	Weight 11.5
Jun	' '	0.023	0 - 1000	32.0	J-33 E16		0.7		11611	Class G	Totterigtii	115	1.16	15.8
Prod	7.875	5.5	0 - 7021	17.0	J-55 LT	&C	9.2	2	Pren	nium Lite Higl	Strength	460	2.31	12.0
					A	ATTACHN	WENTS							
	VER	IFY THE FOLLO	WING ARE A	ATTACHE	O IN ACCORDAN	NCE WITI	H THE UTA	AH OIL A	AND GAS	CONSERVAT	ION GENER	AL RULES		
w w	ELL PLAT OR M	AP PREPARED BY L	ICENSED SU	RVEYOR OR	ENGINEER		COMPLETE DRILLING PLAN							
AF	FIDAVIT OF STA	ATUS OF SURFACE	OWNER AGRE	EEMENT (IF	FEE SURFACE)		FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER							
I ✓ DII	RECTIONAL SUI	RVEY PLAN (IF DIR	ECTIONALLY	OR HORIZO	ONTALLY DRILLED	D)	торо	GRAPHI	CAL MAP					
NAME Don Hamilton TITLE Permitting Agent (Buys & Asso								sociates, Inc) PHONE 435 719-2018						
SIGNATU	RE			DATE 09/2	27/2012						EMAIL starpe	oint@etv.net		
	BER ASSIGNED 04753229(0000		APPROVAI	L				Boll	Zejill				
Pe									Permit	Manager				

DRILLING PLAN

Axia Energy, LLC
Three Rivers Project
Three Rivers #16-21-820
NENW Sec 16 T8S R20E
Uintah County, Utah

1. ESTIMATED FORMATION TOPS

FORMATIO	N	TOP (TVD)	COMMENTS
Uinta		Surface	Gas & Degraded Oil; Possible Brackish H₂O
Green Rive	r	2,577′	Oil & Associated Gas
Lower Gree	en River*	4,497′	Oil & Associated Gas
Wasatch*		6,469′	Oil & Associated Gas
TD	7,021' (MD)	6,969' (TVD)	

NOTE: Datum, Ground Level (GL) Elevation: 4,766; Asterisks (*) denotes target pay intervals

A) The State of Utah, Division of Oil, Gas and Mining will be notified within 24 hours of spudding the well.

2. CASING PROGRAM

CASING	HOLE SIZE	DEPTH SET (MD)	CSG SIZE	WGHT	GRD	THRD	CAPACITY (bbl/ft)
CONDUCTOR		50-100	13 3/8				
SURFACE	11	1000 ±	8 %	32.0	J-55	LTC	0.0609
PRODUCTION	7	7,021′	5 ½	17.0	J-55	LTC	0.0232

NOTE: All casing depth intervals are to surface unless otherwise noted.

Casing Specs

SIZE (in)	ID (in)	DRIFT DIA (in)	COLLAPSE RESISTANCE (psi)	INTERNAL YIELD (psi)	TENSILE YIELD (lbs)	JOINT STRENGTH (lbs)
8	7.921	7.796	2,530	3,930	503,000	417,000
5 ½	4.892	4.767	4,910	5,320	272,000	273,000

^{*}The State of Utah will be notified 24 hours prior to running casing, cementing, and BOPE testing

FLOAT EQUIPMENT

SURFACE (8 5/8): Float Shoe, 1 JNT Casing, Float Collar

1st 4 Joints: every joint

Centralizers:

Remainder: every third joint

PRODUCTION (5 1/2): Float Shoe, 1 JNT Casing, Float Collar

Centralizers: 1st 4 Joints: every joint

Remainder: every third joint 500' into surface casing

NOTE: 5 1/2" 17# J-55 or equivalent marker collar or casing joints will be placed at the top of the Green

River and approximately 200' above the Wasatch.

3. <u>CEMENT PROGRAM</u>

CONDUCTOR (13 3/8): Ready Mix – Cement to surface

SURFACE (8 5/8): Cement Top: Surface

Lead: 100 sks, Premium Lightweight Cmt w/ additives, 11.50 ppg, 2.97

cf/sk, 50% excess

Tail: 115 sks Class G Cement w/ additives, 15.80 ppg, 1.16 cf/sk, 50%

excess

NOTE: The above volumes are based on a gauge-hole + 50% excess.

PRODUCTION (5 ½): Cement Top – 2,000'

460 sacks - Light Premium Cement w/ additives - 12.0 ppg, 2.31

ft3/sk - 20% excess

NOTE: The above volumes are based on gauge hole + 20%

excess. Adjustments will be made and volumes will be caliper +

10%.

NOTE: The above volumes are based on a gauged-hole. Adjustments will be made based on caliper.

- A) For Surface casing, if cement falls or does not circulate to surface, cement will be topped off.
- B) Cement will not be placed down annulus with a 1" pipe unless the State of Utah is contacted.
- c) The State of Utah will be notified 24 hours prior to running casing and cementing.

4. PRESSURE CONTROL EQUIPMENT

- A) The State of Utah, Division of Oil, Gas and Mining will be notified 24 hours prior to all BOPE pressure tests.
- **B)** The BOPE shall be closed whenever the well is unattended.
 - a) All BOPE connections subjected to well pressure will be flanged, welded, or clamped.
 - b) Choke Manifold:

- i) Tee blocks or targeted 'T's will be used and anchored to prevent slip and reduce vibration.
- ii) Two adjustable chokes will be used in the choke manifold.
- iii) All valves (except chokes) in kill line choke manifold and choke line will not restrict the flow.
- iv) Pressure gauges in the well control system will be designed for drilling fluid.

c) BOPE Testing:

- a) BOPE shall be pressure tested when initially installed, whenever any seal subject to pressure testing is broken, or after repairs.
- b) All BOP tests will be performed with a test plug in place.
- c) BOP will be tested to full stack working pressure and annular preventer to 50% stack working pressure.

INTERVAL	BOP EQUIPMENT
0 – 1000 ±	11" Diverter with Rotating Head
1000 ± – TD	3,000# Ram Double BOP & Annular with Diverter & Rotating Head
NOTE: Drilling spool to acc	ommodate choke and kill lines

5. MUD PROGRAM

- A) Mud test will be performed at least every 24 hours and after mudding up to determine density, viscosity, gel strength, filtration, and pH.
- B) Gas-detecting equipment will be installed and operated in the mud-return system from top of Green River Formation to TD.
 - a) Flare line discharge will be located no less than 100 feet from the wellhead using straight or targeted 'T's and anchors.

INTERVAL	MUD WGHT	VISC	FLUID LOSS	COMMENTS
SURF - 1000 ±	8.4 – 8.7 ppg	32	NC	Spud Mud
$1000 \pm - TD$	8.6 – 9.2 ppg	40	NC	DAP/Gel

NOTE: Mud weight increases will be directed by hole conditions.

6. ABNORMAL CONDITIONS

- A) No abnormal pressures or temperatures are anticipated.
 - a) Estimated bottom hole pressure at TD will be approximately 3,018 psi (normal pressure gradient: 0.433 psi/ft).
 - b) Estimated maximum surface pressure will be approximately 1,533 psi (estimated bottom hole minus pressure of partially evacuated hole (gradient: 0.220 psi/ft)).
- **B)** No hydrogen sulfide is anticipated.

INTERVAL	CONDITION						
SURF - 1000 ±	Lost Circulation Possible						
1000 ± - TD	Lost Circulation Possible						

7. **AUXILIARY EQUIPMENT**

A) Choke Manifold

- B) Upper and lower kelly cock with handle available
- c) Stabbing valve
- **D)** Safety valve and subs to fit all string connections in use


COME


8. SURVEY & LOGGING PROGRAMS


- A) Cores: None anticipated.
- B) Testing: None anticipated.
- c) Directional Drilling: Directional tools will be used to locate the bottom hole per the attached directional plan +/-.
- D) Open Hole Logs: TD to surface casing: resistivity, neutron density, gamma ray and caliper.
- E) Mud Logs: Computerized 2-person logging unit will catch and describe 10 foot samples from top of Green River Formation to TD; record and monitor gas shows and record drill times (normal mud logging duties).


9. HAZARDOUS MATERIALS


In accordance with Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III, no chemicals subject to reporting in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well.

















API Well Number: 43047532290000 Project: Uintah County, UT Site: SEC 16-T8S-R20E Well: Three Rivers #16-21-820 Axia Energy Wellbore: DD Design: Plan #1 -500 SECTION DETAILS MD 0.0 1000.0 1618.7 3433.1 4051.7 7020.7 1nc 0.00 0.00 12.37 12.37 0.00 0.00 Azi 0.00 0.00 9.19 9.19 0.00 0.00 Dleg 0.00 0.00 2.00 0.00 2.00 0.00 VSect 0.0 0.0 66.5 455.3 521.9 521.9 TVD 0.0 1000.0 1613.9 Sec 1 2 3 4 5 6 Target 0.00 0.00 9.19 0.00 180.00 0.00 0.0 0.0 65.7 449.5 515.2 515.2 0.0 0.0 10.6 72.7 83.3 83.3 3386.1 500 800 1000 KOP @ 1000 700 1500 EOD; Inc=0 EOB; Inc=12.37 Three Rivers #16-21-820 PBHL 600 Three Rivers #16-21-820/Plan #1 2000 South(-)/North(+) (200 ft/in) 500 TD at 7020.7 Start Drop -2.00-2500 Top Birds Nest 3000 Surface Hole Location Three Rivers #16-21-820 1170' FNL & 1898 FWL Lat: 40.126492 Long: -109.676267 300 Depth (1000 ft/in) Base Birds Nest Start Drop -2.00 3500 200 KOP @ 1000 4000 True Vertical 100 EOB; Inc=12.37º 4500 -Three Rivers #16-22-820 Three Rivers #16-21-820 5000 Three Rivers #16-22-820/Plan #1 -200 -100 100 200 300 400 500 West(-)/East(+) (200 ft/in) 5500 DESIGN TARGET DETAILS Northing 3211347.87 Easting 2150529.78 Name Three Rivers #16-21-820 PBHL 6000 FORMATION TOP DETAILS 6500 M Azimuths to True North Magnetic North: 11.019 TVDPath 2577.0 MDPath 2604.7 2901.6 Formation Top Green River 2867.0 Top Birds Nest TD at 7020.7 Base Birds Nest Temperature 120 Garden Gulch Magnetic Field Strength: 52252.6snT Dip Angle: 65.91° 3352.0 4061.0 3398.1 4112.7 7000 Date: 9/7/2012 Model: IGRF2010 6370.7 Top Uteland Butte 6319.0 7500 Three Rivers #16-21-820 PBHL Plan #1 Three Rivers #16-21-820 12xxx; LR WELL @ 4780.0ft (Original Well Elev)

8000

-1000

-500

500

1000

2000

1500

2500

Vertical Section at 9.19° (1000 ft/in)

3000

3500

4500

4000

Ground Elevation @ 4764.0 North American Datum 1983 Well Three Rivers #16-21-820, True North

5000

5500

6000

USA EDM 5000 Multi Users DB Database:

Company: Axia Energy Project: Uintah County, UT SEC 16-T8S-R20E Site: Well: Three Rivers #16-21-820

Wellbore: DD Plan #1 Design:

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Three Rivers #16-21-820

WELL @ 4780.0ft (Original Well Elev) WELL @ 4780.0ft (Original Well Elev)

40.126517

-109.676217

1.20°

Minimum Curvature

US State Plane 1983 Map System: North American Datum 1983 Geo Datum: Map Zone: Utah Northern Zone

System Datum:

Mean Sea Level

SEC 16-T8S-R20E Site

Northing: 3,210,840.45 ft Site Position: Latitude: From: Lat/Long Easting: 2,150,471.05 ft Longitude: 0.0 ft Grid Convergence: **Position Uncertainty:** Slot Radius: 13.200 in

Well Three Rivers #16-21-820 **Well Position** +N/-S 0.0 ft Northing: 3,210,831.04 ft Latitude: 40.126492 Easting: Longitude: +E/-W 0.0 ft 2,150,457.26 ft -109.676267 0.0 ft 4,764.0 ft **Position Uncertainty** Wellhead Elevation: Ground Level:

DD Wellbore **Model Name** Declination Dip Angle Field Strength Magnetics Sample Date (°) IGRF2010 9/7/2012 11.01 65.91 52,253

Design Plan #1 **Audit Notes:** 0.0 Version: Phase: **PLAN** Tie On Depth: Vertical Section: +N/-S Direction Depth From (TVD) +E/-W (ft) (ft) (ft) (°) 0.0 0.0 0.0 9.19

Plan Sections												
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target		
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00			
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.00	0.00	0.00	0.00			
1,618.7	12.37	9.19	1,613.9	65.7	10.6	2.00	2.00	0.00	9.19			
3,433.1	12.37	9.19	3,386.1	449.5	72.7	0.00	0.00	0.00	0.00			
4,051.7	0.00	0.00	4,000.0	515.2	83.3	2.00	-2.00	0.00	180.00			
7,020.7	0.00	0.00	6,969.0	515.2	83.3	0.00	0.00	0.00	0.00	Three Rivers #16-21		

Database: USA EDM 5000 Multi Users DB

Company: Axia Energy
Project: Uintah County, UT
Site: SEC 16-T8S-R20E
Well: Three Rivers #16-21-820

Wellbore: DD Plan #1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Three Rivers #16-21-820 WELL @ 4780.0ft (Original Well Elev) WELL @ 4780.0ft (Original Well Elev)

True

Minimum Curvature

easured Depth Incl (ft)	lination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Comments / Formations
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	
E00.0	0.00	0.00	500.0	0.0		0.0	0.00	0.00	
500.0 600.0	0.00 0.00	0.00 0.00	600.0	0.0 0.0	0.0 0.0	0.0 0.0	0.00	0.00	
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	KOP @ 1000'
1,100.0	2.00	9.19	1,100.0	1.7	0.3	1.7	2.00	2.00	
1,200.0	4.00	9.19	1,199.8	6.9	1.1	7.0	2.00	2.00	
1,300.0	6.00	9.19	1,299.5	15.5	2.5	15.7	2.00	2.00	
1,400.0	8.00	9.19	1,398.7	27.5	4.5	27.9	2.00	2.00	
1,500.0	10.00	9.19	1,497.5	43.0	7.0	43.5	2.00	2.00	
1,600.0	12.00	9.19	1,595.6	61.8	10.0	62.6	2.00	2.00	
1,618.7	12.37	9.19	1,613.9	65.7	10.6	66.5	2.00	2.00	EOB; Inc=12.37°
1,700.0	12.37	9.19	1,693.3	82.9	13.4	84.0	0.00	0.00	
1,800.0	12.37	9.19	1,791.0	104.0	16.8	105.4	0.00	0.00	
1,900.0	12.37	9.19	1,888.7	125.2	20.3	126.8	0.00	0.00	
2,000.0	12.37	9.19	1,986.3	146.4	23.7	148.3	0.00	0.00	
2,100.0	12.37	9.19	2,084.0	167.5	27.1	169.7	0.00	0.00	
2,200.0	12.37	9.19	2 ,181.7	188.7	30.5	191.1	0.00	0.00	
2,300.0	12.37	9.19	2,279.4	209.8	33.9	212.5	0.00	0.00	
2,400.0	12.37	9.19	2,377.1	231.0	37.4	234.0	0.00	0.00	
2, 5 00.0	12.37	9.19	2,474.7	252.1	40.8	255.4	0.00	0.00	
2,600.0	12.37	9.19	2,572.4	273.3	44.2	276.8	0.00	0.00	
2,604.7	12.37	9.19	2,577.0	274.3	44.4	277.8	0.00	0.00	Top Green River
2,700.0	12.37	9.19	2,670.1	294.4	47.6	298.3	0.00	0.00	
2,800.0	12.37	9.19 9.19	2,767.8	315.6 336.7	51.1 54.5	319.7	0.00 0.00	0.00 0.00	
2,900.0 2,901.6	12.37 12.37	9.19 9.19	2,865.4 2.867.0	336.7 337.1	54.5 54.5	341.1 341.5	0.00		Top Birds Nest
3,000.0	12.37	9.19	2,963.1	357.1	54.5 57.9	362.5	0.00	0.00	וטף טוועס ואבטנ
3,100.0	12.37	9.19	3,060.8	379.0	61.3	384.0	0.00	0.00	
3,200.0	12.37	9.19	3,158.5	400.2	64.7	405.4	0.00	0.00	
3,300.0	12.37	9.19	3,256.1	421.4	68.2	426.8	0.00	0.00	Door Diede Neet
3,398.1 3,400.0	12.37	9.19	3,352.0	442.1 442.5	71.5 71.6	447.9 448.3	0.00		Base Birds Nest
3,400.0 3,433.1	12.37 12.37	9.19 9.19	3,353.8 3,386.1	442.5 449.5	71.6 72.7	448.3 455.3	0.00 0.00	0.00	Start Drop -2.00
									Start Drop -2.00
3,500.0	11.03	9.19	3,451.7	462.9	74.9	468.9	2.00	-2.00	
3,600.0	9.03	9.19	3,550.1	480.1	77.7	486.4	2.00	-2.00	
3,700.0	7.03	9.19	3,649.1	493.9	79.9	500.3	2.00	-2.00	
3,800.0	5.03	9.19	3,748.6	504.3	81.6	510.8	2.00	-2.00	
3,900.0	3.03	9.19	3,848.3	511.2	82.7	517.9	2.00	-2.00	
4,000.0	1.03	9.19	3,948.3	514.7	83.3	521.4	2.00	-2.00	
4,051.7	0.00	0.00	4,000.0	515.2	83.3	521.9	2.00	-2.00	EOD; Inc=0°
4,100.0	0.00	0.00	4,048.3	515.2	83.3	521.9	0.00	0.00	
4,112.7	0.00	0.00	4,061.0	515.2	83.3	521.9	0.00		Temperature 120
4,200.0	0.00	0.00	4,148.3	515.2	83.3	521.9	0.00	0.00	
				545.0	83.3	521.9	0.00	0.00	
4,300.0	0.00	0.00	4,248.3	515.2	QJ.J	QZ 1.9		U.UU	

Database: USA EDM 5000 Multi Users DB

Company: Axia Energy
Project: Uintah County, UT
Site: SEC 16-T8S-R20E
Well: Three Rivers #16-21-820

Wellbore: DD
Design: Plan #1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Three Rivers #16-21-820 WELL @ 4780.0ft (Original Well Elev)

WELL @ 4780.0ft (Original Well Elev)

True

Minimum Curvature

lanned Surve	y								
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Comments / Formations
4,500.0	0.00	0.00	4,448.3	515.2	83.3	521.9	0.00	0.00	
4,548.7	0.00	0.00	4,497.0	515.2	83.3	521.9	0.00	0.00	Garden Gulch
4,600.0	0.00	0.00	4,548.3	515.2	83.3	521.9	0.00	0.00	
4,700.0	0.00	0.00	4,648.3	515.2	83.3	521.9	0.00	0.00	
4,800.0	0.00	0.00	4,748.3	515.2	83.3	521.9	0.00	0.00	
4,900.0	0.00	0.00	4,848.3	515.2	83.3	521.9	0.00	0.00	
5,000.0	0.00	0.00	4,948.3	515.2	83.3	521.9	0.00	0.00	
5,100.0	0.00	0.00	5,048.3	515.2	83.3	521.9	0.00	0.00	
5,200.0	0.00	0.00	5,148.3	515.2	83.3	521.9	0.00	0.00	
5,300.0	0.00	0.00	5,248.3	515.2	83.3	521.9	0.00	0.00	
5,400.0	0.00	0.00	5,348.3	515.2	83.3	521.9	0.00	0.00	
5,500.0	0.00	0.00	5,448.3	515.2	83.3	521.9	0.00	0.00	
5,600.0	0.00	0.00	5,548.3	515.2	83.3	521.9	0.00	0.00	
5,700.0	0.00	0.00	5,648.3	515.2	83.3	521.9	0.00	0.00	
5,800.0	0.00	0.00	5,748.3	515.2	83.3	521.9	0.00	0.00	
5,900.0	0.00	0.00	5,848.3	515.2	83.3	521.9	0.00	0.00	
6,000.0	0.00	0.00	5,948.3	515.2	83.3	521.9	0.00	0.00	
6,100.0	0.00	0.00	6,048.3	515.2	83.3	521.9	0.00	0.00	
6,200.0	0.00	0.00	6,148.3	515.2	83.3	521.9	0.00	0.00	
6,300.0	0.00	0.00	6,248.3	515.2	83.3	521.9	0.00	0.00	
6,370.7	0.00	0.00	6,319.0	515.2	83.3	521.9	0.00	0.00	Top Uteland Butte
6,400.0	0.00	0.00		515.2	83.3	521.9	0.00	0.00	
6,500.0	0.00	0.00	6,448.3	515.2	83.3	521.9	0.00	0.00	
6,520.7	0.00	0.00	6,469.0	515.2	83.3	521.9	0.00	0.00	Top Wasatch
6,600.0	0.00	0.00	6,548.3	515.2	83.3	521.9	0.00	0.00	
6,700.0	0.00	0.00	6,648.3	515.2	83.3	521.9	0.00	0.00	
6,800.0	0.00	0.00	6,748.3	515.2	83.3	521.9	0.00	0.00	
6,900.0	0.00	0.00	6,848.3	515.2	83.3	521.9	0.00	0.00	
7,000.0	0.00	0.00	6,948.3	515.2	83.3	521.9	0.00	0.00	
7,020.7	0.00	0.00	6,969.0	515.2	83.3	521.9	0.00	0.00	TD at 7020.7 - Three Rivers #16-21-820

Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
Three Rivers #16-21-820 - plan hits target cen - Circle (radius 50.0)	ter	0.00	6,969.0	515.2	83.3	3,211,347.87	2,150,529.78	40.127906	-109.675969

Database: USA EDM 5000 Multi Users DB

Company: Axia Energy
Project: Uintah County, UT
Site: SEC 16-T8S-R20E
Well: Three Rivers #16-21-820

Wellbore: DD Plan #1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Three Rivers #16-21-820 WELL @ 4780.0ft (Original Well Elev)

WELL @ 4780.0ft (Original Well Elev)

True

Minimum Curvature

ions						
	Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
	2,604.7	2,577.0	Top Green River			
	2,901.6	2,867.0	Top Birds Nest			
	3,398.1	3,352.0	Base Birds Nest			
	4,112.7	4,061.0	Temperature 120			
	4,548.7	4,497.0	Garden Gulch			
	6,370.7	6,319.0	Top Uteland Butte			
	6,520.7	6,469.0	Top Wasatch			

Plan Annotati	ons				1 , 1
	Measured Depth (ft)	Vertical Depth (ft)	Local Coor +N/-S (ft)	dinates +E/-W (ft)	Comment
	1,000.0	1,000.0	0.0	0.0	KOP @ 1000'
	1,618.7	1,613.9	65.7	10.6	EOB; Inc=12.37°
	3,433.1	3,386.1	449.5	72.7	Start Drop -2.00
	4,051.7	4,000.0	515.2	83.3	EOD; Inc=0°
	7,020.7	6,969.0	515.2	83.3	TD at 7020.7

Axia Energy

Uintah County, UT SEC 16-T8S-R20E Three Rivers #16-21-820 DD Plan #1

Anticollision Report

07 September, 2012

Anticollision Report

TVD Reference:

MD Reference:

North Reference:

Company: Axia Energy Project: Uintah County, UT Reference Site: SEC 16-T8S-R20E

Site Error:

Reference Well:

0.0ft Well Error: DD Reference Wellbore Reference Design: Plan #1

Three Rivers #16-21-820

Database:

Local Co-ordinate Reference:

Well Three Rivers #16-21-820 WELL @ 4780.0ft (Original Well Elev)

WELL @ 4780.0ft (Original Well Elev)

Survey Calculation Method: Minimum Curvature

2.00 sigma Output errors are at

USA EDM 5000 Multi Users DB

Offset TVD Reference: Offset Datum

Plan #1 Reference

GLOBAL FILTER APPLIED: All wellpaths within 200'+ 100/1000 of reference Filter type:

Interpolation Method: MD Interval 100.0ft Error Model: ISCWSA

Depth Range: Unlimited Scan Method: Closest Approach 3D Results Limited by: Maximum center-center distance of 902.1ft Error Surface: Elliptical Conic Warning Levels Evaluated at: 2.00 Sigma

Survey Tool Program Date 9/7/2012 From То (ft) Survey (Wellbore) **Tool Name** Description (ft) 0.0 7,020.7 Plan #1 (DD) MWD Geolink MWD

Summary Reference Offset Distance Measured Measured Between Between Separation Warning Site Name Centres Ellipses Factor Depth Depth Offset Well - Wellbore - Design (ft) (ft) (ft) (ft) SEC 16-T8S-R20E Three Rivers #16-22-820 - DD - Plan #1 1,167.1 1,167.0 13.6 9.6 3.378 CC, ES, SF

Anticollision Report

TVD Reference:

MD Reference:

Company: Axia Energy
Project: Uintah County, UT
Reference Site: SEC 16-T8S-R20E

Site Error: 0.0f

Reference Well: Three Rivers #16-21-820

Well Error: 0.0ft
Reference Wellbore DD
Reference Design: Plan #1

Local Co-ordinate Reference:

te Reference: Well Three Rivers #16-21-820
WELL @ 4780.0ft (Original Well Elev)
WELL @ 4780.0ft (Original Well Elev)

North Reference: True

Survey Calculation Method: Minimum Curvature

Output errors are at 2.00 sigma

Database: USA EDM 5000 Multi Users DB

Offset TVD Reference: Offset Datum

Offset De	sign	SEC 16	-T8S-R20	E - Three F	livers #16	6-22-820 - D	D - Plan #1						Offset Site Error:	0.0 f
urvey Prog													Offset Well Error:	0.0 f
Refer		Offse		Semi Major			Distance							
leasured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbor +N/-S (ft)	e Centre +E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Total Uncertainty Axis	Separation Factor	Warning	
										()				
0.0	0.0	0.0	0.0	0.0	0.0	56.91	9.1	14.0	16.7		40.00	50.000		
100.0	100.0	100.0	100.0	0.1	0.1	56.91	9.1	14.0	16.7	16.4	0.29	56.926		
200.0	200.0	200.0	200.0	0.3	0.3	56.91	9.1	14.0	16.7	16.0	0.64	25.988		
300.0	300.0	300.0	300.0	0.5	0.5	56.91	9.1	14.0	16.7	15.7	0.99	16.837		
400.0	400.0	400.0	400.0	0.7	0.7	56.91	9.1	14.0	16.7	15.4	1.34	12.453		
500.0	500.0	500.0	500.0	8.0	0.8	56.91	9.1	14.0	16.7	15.0	1.69	9.880		
600.0	600.0	600.0	600.0	1.0	1.0	56.91	9.1	14.0	16.7	14.7	2.04	8.188		
700.0	700.0	700.0	700.0	1.2	1.2	56.91	9.1	14.0	16.7	14.3	2.39	6.991		
800.0	800.0	800.0	800.0	1.4	1.4	56.91	9.1	14.0	16.7	14.0	2.74	6.099		
900.0	900.0	900.0	900.0	1.5	1.5	56.91	9.1	14.0	16.7	13.6	3.09	5.409		
1,000.0	1,000.0	1,000.0	1,000.0	1.7	1.7	56.91	9.1	14.0	16.7	13.3	3.43	4.860		
1,100.0	1,100.0	1,100.2	1,100.1	1.9	1.9	58.66	7.4	14.1	15.0	11.2	3.79	3.951		
1,167.1	1,167.0	1,167.0	1,166.9	2.0	2.0	83.08	4.3	14.4	13.6	9.6	4.03	3.378	CC, ES, SF	
1,200.0	1,199.8	1,199.6	1,199.4	2.1	2.1	99.98	2.2	14.5	14.2	10.1	4.15	3.433		
1,300.0	1,299.5	1,297.6	1,297.1	2.3	2.3	139.99	-6.3	15.2	25.3	20.8	4.49	5.647		
1,400.0	1,398.7	1,393.6	1,392.3	2.5	2.5	155.66	-17.8	16.2	47.2	42.4	4.81	9.822		
1,500.0	1,497.5	1,486.8	1,484.5	2.7	2.7	162.17	-32.0	17.3	76.8	71.7	5.13	14.984		
1,600.0	1,595.6	1,576.9	1,573.0	3.0	3.0	165.41	-48.6	18.7	113.0	107.6	5.43	20.802		
1,700.0	1,693.3	1,663.8	1,657.9	3.4	3.3	167.31	-67.2	20.2	154.4	148.6	5.75	26.838		
1,800.0	1,791.0	1,748.3	1,739.8	3.7	3.6	168.40	-87.7	21.8	198.6	192.5	6.07	32.699		
1,900.0	1,888.7	1,830.3	1,818.7	4.1	3.9	169.05	-110.0	23.6	245.4	239.0	6.39	38.404		
2,000.0	1,986.3	1,909.8	1,8 <mark>94</mark> .6	4.4	4.3	169.45	-133.7	25.5	294.7	288.0	6.70	43.964		
2,100.0	2,084.0	1,986.8	1,967.4	4.8	4.7	169.71	-158.6	27.6	346.4	339.3	7.01	49.391		
2,200.0	2,181.7	2,061.3	2,037.2	5.2	5.2	169.88	-184.6	29.7	400.3	392.9	7.32	54.695		
2,300.0	2,279.4	2,133.4	2,104.1	5.6	5.6	169.98	-211.5	31.8	456.3	448.7	7.62	59.884		
2,400.0	2,377.1	2,200.0	2,165.2	6.0	6.0	170.04	-237.8	34.0	514.4	506.5	7.91	65.008		
2,500.0	2,474.7	2,270.3	2,229.1	6.4	6.5	170.07	-267.1	36.3	574.4	566.2	8.21	69.946		
2,600.0	2,572.4	2,342.6	2,294.2	6.7	7.1	170.09	-298.5	38.9	635.9	627.4	8.51	74.699		
2,700.0	2,670.1	2,421.3	2,364.8	7.1	7.6	170.10	-332.9	41.7	697.7	688.9	8.83	79.058		
2,800.0	2,767.8	2,499.9	2,435.5	7.5	8.2	170.11	-367.3	44.4	759.5	750.4	9.14	83.119		
2,900.0	2,865.4	2,578.5	2,506.1	7.9	8.8	170.12	-401.7	47.2	821.3	811.9	9.45	86.911		
3,000.0	2,963.1	2,657.2	2,576.8	8.3	9.4	170.13	-436.1	50.0	883.1	873.3	9.76	90.459		

Anticollision Report

Company:Axia EnergyProject:Uintah County, UTReference Site:SEC 16-T8S-R20E

Site Error: 0.0ft

Reference Well: Three Rivers #16-21-820

Well Error: 0.0ft
Reference Wellbore DD
Reference Design: Plan #1

TVD Reference:
MD Reference:
North Reference:

Local Co-ordinate Reference:

Well Three Rivers #16-21-820 WELL @ 4780.0ft (Original Well Elev) WELL @ 4780.0ft (Original Well Elev)

True

Survey Calculation Method: Minimum Curvature
Output errors are at 2.00 sigma

Database: USA EDM 5000 Multi Users DB

Offset TVD Reference: Offset Datum

Reference Depths are relative to WELL @ 4780.0ft (Original Well Elev)


Offset Depths are relative to Offset Datum


Central Meridian is -111.500000°

Coordinates are relative to: Three Rivers #16-21-820

Coordinate System is US State Plane 1983, Utah Northern Zone

Grid Convergence at Surface is: 1.20°







2580 Creekview Road Moab, Utah 84532 435/719-2018

September 26, 2012

Mrs. Diana Mason State of Utah Division of Oil Gas and Mining P.O. Box 145801 Salt Lake City, Utah 84114-5801

RE: Application for Permit to Drill – Axia Energy, LLC – **Three Rivers 16-21-820**Surface Location: 1170' FNL & 1898' FWL, NE/4 NW/4, Section 16, T8S, R20E,
Target Location: 660' FNL & 1980' FWL, NE/4 NW/4, Section 16, T8S, R20E,
SLB&M, Uintah County, Utah

Dear Diana:

Axia Energy, LLC respectfully submits this request for exception to spacing (R649-3-11) based on geology since the well is located less than 460 feet to the drilling unit boundary. Axia Energy, LLC is the only owner and operator within 460 feet of the surface and target location as well as all points along the intended well bore path and are not within 460 feet of any uncommitted tracts or a unit boundary.


Thank you very much for your timely consideration of this application. Please feel free to contact Jess A. Peonio of Axia Energy, LLC at 720-746-5212 or myself should you have any questions or need additional information.


Sincerely,


Don Hamilton Agent for Axia Energy, LLC


cc: Jess A. Peonio, Axia Energy, LLC


RECEIVED: September 27, 2012











From: **Jeff Conley**

To: Hill, Brad; Mason, Diana; rsatre@axiaenergy.com; starpoint@etv.net

CC: Davis, Jim; Garrison, LaVonne

Date: 10/30/2012 7:49 AM

Subject: Axia-Three Rivers Approvals

Hello,

The following wells have been approved for arch and approved for paleo under the following conditions:

Both pads require paleo spot checking during any ground disturbing/construction activities.

(4304753231) Three Rivers 16-23-820 (4304753232) Three Rivers 16-24-820 (4304753229) Three Rivers 16-21-820 (4304753230) Three Rivers 16-22-820


Thank you,

Jeff Conley SITLA Resource Specialist (801)-538-5157 jconley@utah.gov

BOPE REVIEW AXIA ENERGY LLC Three Rivers 16-21-820 43047532290000

		-		_		_		_	
Well Name		AXIA ENERGY	LLC Three Rivers	16-	-21-820 43047	532	290000		
String		Surf	Prod	J.					
Casing Size(")		8.625	5.500	Ţ,					
Setting Depth (TVD)		1000	6969	Ţ,		Ţ			
Previous Shoe Setting Dept	h (TVD)	0	1000	Ī.		Ī]	
Max Mud Weight (ppg)	8.7	9.2	Ī		Ī				
BOPE Proposed (psi)	1000	3000	Ī		Ī		_		
Casing Internal Yield (psi)	3930	5320	Ī.		Ī				
Operators Max Anticipated	Pressure (psi)	3018	8.3	Ī.		Ī			
Calculations		Surf Str	inα				8.625		
Max BHP (psi)			052*Setting I	Dei	nth*MW=	45			
(Psz)			Joz Setting I		PUL 112 11	45	02	BOPI	E Adequate For Drilling And Setting Casing at Depth?
MASP (Gas) (psi)		Max BH	IP-(0.12*Sett	ing	g Depth)=	33	32	YES	diverter with rotating head
MASP (Gas/Mud) (psi)		Max BH	IP-(0.22*Sett	ing		23		YES	l OK
						120	,,,	1	Full Expected Pressure Be Held At Previous Shoe?
Pressure At Previous Shoe	Max BHP22*(S	Setting Depth	- Previous S	ho	e Depth)=	23	32	NO	I OK
Required Casing/BOPE Tes	t Pressure=					Ξ	000	psi	
*Max Pressure Allowed @]	Previous Casing	Shoe=		_		0	-4	psi	*Assumes 1psi/ft frac gradient
						19			
Calculations		Prod Str	ing				5,500	"	
Max BHP (psi)).	052*Setting I	Dej	pth*MW=	33	334		
				X		_		ВОРІ	E Adequate For Drilling And Setting Casing at Depth?
MASP (Gas) (psi)			IP-(0.12*Sett			24	198	YES	
MASP (Gas/Mud) (psi)		Max BH	IP-(0.22*Sett	ing	g Depth)=	18	301	YES	OK
n At n : GI	M DHD 22#G		D : 0:	_	D (1)	_			Full Expected Pressure Be Held At Previous Shoe?
Pressure At Previous Shoe		setting Depth	- Previous S	пос	e Deptn)=	20		NO	OK OK
Required Casing/BOPE Tes				_		30	000	psi	1.100
*Max Pressure Allowed @]	Previous Casing	Snoe=				10	000	psi	*Assumes 1psi/ft frac gradient
Calculations		String	<u> </u>					"	
Max BHP (psi)		.(052*Setting I	Dej	pth*MW=	Г			
								ВОРІ	E Adequate For Drilling And Setting Casing at Depth?
MASP (Gas) (psi)		Max BH	IP-(0.12*Sett	ing	g Depth)=			NO	
MASP (Gas/Mud) (psi)		Max BH	IP-(0.22*Sett	ing	g Depth)=			NO	
								*Can	Full Expected Pressure Be Held At Previous Shoe?
Pressure At Previous Shoe	Max BHP22*(S	Setting Depth	- Previous S	ho	e Depth)=			NO	
Required Casing/BOPE Tes	t Pressure=							psi	
*Max Pressure Allowed @ Previous Casing Shoe=								psi	*Assumes 1psi/ft frac gradient
Calculations		String	· · · · · · · · · · · · · · · · · · ·	_		_		"	
Max BHP (psi)		.(052*Setting I	Dej	pth*MW=	Г			
						t-		ВОРІ	E Adequate For Drilling And Setting Casing at Depth?
MASP (Gas) (psi)		Max BH	IP-(0.12*Sett	ing	g Depth)=			NO	
MASP (Gas/Mud) (psi) Max BHP-(0.22*Setting Depth)=					NO				
								1	Full Expected Pressure Be Held At Previous Shoe?
Pressure At Previous Shoe	Max BHP22*(S	Setting Depth	- Previous S	ho	e Depth)=			NO	
Required Casing/BOPE Tes	t Pressure=					Γ		psi	
*Max Pressure Allowed @ Previous Casing Shoe=				Ī		psi	*Assumes 1psi/ft frac gradient		
1						-		1	

43047532290000 Three Rivers 16-21-820



Well name:

43047532290000 Three Rivers 16-21-820

Operator:

AXIA ENERGY LLC

String type:

Location:

Surface

UINTAH COUNTY

Project ID:

43-047-53229

Design parameters:

Collapse

Mud weight: 8.700 ppg Design is based on evacuated pipe.

Minimum design factors:

Collapse:

Design factor 1.125 **Environment:**

H2S considered? Surface temperature: Bottom hole temperature:

No 74 °F 88 °F

Temperature gradient:

1.40 °F/100ft

Minimum section length: 100 ft

Burst:

Tension:

8 Round STC:

8 Round LTC:

Design factor

1.00

1.80 (J)

1.70 (J)

1,60 (J) 1.50 (J)

1.50 (B)

Cement top:

161 ft

Burst

Max anticipated surface pressure:

No backup mud specified.

Internal gradient: Calculated BHP

880 psi 0.120 psi/ft

1,000 psi

Buttress: Premium: Body yield:

> Tension is based on air weight. Neutral point: 871 ft

Non-directional string.

Re subsequent strings:

Next setting depth: Next mud weight: Next setting BHP:

6,969 ft 9.200 ppg 3,331 psi 19.250 ppg

Fracture mud wt: Fracture depth: Injection pressure:

1,000 ft 1,000 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Est. Cost
1	1000	8.625	32.00	J-55	LT&C	1000	1000	7.875	(\$) 8058
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (kips)	Tension Strength (kips)	Tension Design Factor
1	452	2530	5.599	1000	3930	3.93	32	417	13.03 J

Prepared

Helen Sadik-Macdonald Div of Oil, Gas & Mining

Phone: 801 538-5357 FAX: 801-359-3940

Date: November 7,2012 Salt Lake City, Utah

Remarks:

Collapse is based on a vertical depth of 1000 ft, a mud weight of 8.7 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Well name:

43047532290000 Three Rivers 16-21-820

Operator:

AXIA ENERGY LLC

String type:

Location:

Production

UINTAH COUNTY

Project ID:

43-047-53229

Design parameters:

Collapse

Mud weight:

9.200 ppg

Design is based on evacuated pipe.

Minimum design factors:

Collapse:

Design factor 1.125

Environment: H2S considered?

Surface temperature:

No 74 °F 172 °F

Bottom hole temperature: Temperature gradient:

1.40 °F/100ft

Minimum section length: 1,000 ft

Burst:

Design factor

1.00

Cement top:

2,923 ft

Burst

Max anticipated surface

No backup mud specified.

pressure: Internal gradient: Calculated BHP

1,798 psi 0.220 psi/ft

3,331 psi

8 Round STC:

8 Round LTC: Buttress:

> Premium: Body yield:

> > 3331

Tension:

1.80 (4) 1.80 (J) 1.60 (J) 1,50 (J)

1.60 (B)

Tension is based on air weight. Neutral point: 6,049 ft

Directional Info - Build & Drop Kick-off point 1000 ft Departure at shoe: 522 ft

Maximum dogleg: Inclination at shoe: 2 °/100ft 0 °

2.08 J

Run Seament Nominal **End** True Vert Measured Drift Est. Sea Length Size Weight Grade Finish Depth Depth Diameter Cost (ft) (in) (lbs/ft) (ft) (ft) (in) (\$) 1 7021 5.5 17.00 J-55 LT&C 6969 7021 4.767 27201 Run Collapse Collapse Collapse **Burst** Burst **Burst Tension Tension Tension** Seq Load Strength Design Load Strength Design Load Strength Design (psi) (psi) **Factor** (psi) (psi) **Factor** (kips) (kips) Factor

5320

1.60

118.5

Prepared

Helen Sadik-Macdonald

Div of Oil, Gas & Mining

4910

1.474

Phone: 801 538-5357 FAX: 801-359-3940

Date: November 7,2012 Salt Lake City, Utah

247

Remarks:

1

3331

Collapse is based on a vertical depth of 6969 ft, a mud weight of 9.2 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Collapse strength is (biaxially) derated for doglegs in directional wells by multiplying the tensile stress by the cross section area to calculate a

ON-SITE PREDRILL EVALUATION

Utah Division of Oil, Gas and Mining

Operator AXIA ENERGY LLC

Well Name Three Rivers 16-21-820

API Number 43047532290000 APD No 6921 Field/Unit UNDESIGNATED

Location: 1/4,1/4 NENW **Sec** 16 **Tw** 8.0S **Rng** 20.0E 1170 FNL 1898 FWL

GPS Coord (UTM) 612787 4442640 Surface Owner

Participants

Don Hamilton and Jim Burns (permit contractors), Cody Rich (surveyor), John Busch (Axia representative), Ben Williams (DWR), Jim Davis (SITLA)

Regional/Local Setting & Topography

This proposed location lays approximately 4 miles south of Pelican Lake and about 2/3 mile wet of Highway 88. The location sits on a small east west swell. Drainage is to the south east toward the Green River approximately 2 miles away.

Surface Use Plan

Current Surface Use

Wildlfe Habitat

New Road
Miles

Well Pad

Src Const Material

0.48 Width 260 Length 350 Offsite UNTA

Y

Ancillary Facilities N

Waste Management Plan Adequate?

Environmental Parameters

Affected Floodplains and/or Wetlands N

Flora / Fauna

Prickly pear, rabbit brush, grease wood

Pronghorn habitat

Soil Type and Characteristics

gravelly sandy clay loam

Erosion Issues N

Sedimentation Issues N

Site Stability Issues N

Drainage Diverson Required? Y

Small drainage must be diverted around north

Berm Required? N

RECEIVED: December 10, 2012

Surface Formation

Erosion Sedimentation Control Required? N

Paleo Survey Run? Y Paleo Potental Observed? Y Cultural Survey Run? Y Cultural Resources? N

Reserve Pit

Site-Specific Factors

Site Ranking

Distance to Groundwater (feet)
Distance to Surface Water (feet)
Dist. Nearest Municipal Well (ft)
Distance to Other Wells (feet)
Native Soil Type
Fluid Type
Drill Cuttings
Annual Precipitation (inches)
Affected Populations
Presence Nearby Utility Conduits

Final Score

Sensitivity Level

Characteristics / Requirements

The reserve pit is proposed in a cut stable location. According to Axia representative John Busch a 20 mil liner will be used as standard procedure for this and all other Axia reserve pits. This liner will be adequate for this site. The pit dimensions are 195' x 100' x 10' deep.

Closed Loop Mud Required? N Liner Required? Y Liner Thickness 20 Pit Underlayment Required? Y

Other Observations / Comments

Spot check for paleo was requested during construction.

This is a 2 well pad to be shared with the 43-047-53230

Richard Powell **Evaluator**

10/16/2012

Date / Time

Application for Permit to Drill Statement of Basis

Utah Division of Oil, Gas and Mining

APD No	API WellNo	Status	Well Type	Surf Owner	CBM
6921	43047532290000	SITLA	OW	S	No
Operator	AXIA ENERGY LLC		Surface Owner-APD		
Well Name	Three Rivers 16-21-820		Unit		
Field	UNDESIGNATED		Type of Work	DRILL	
Location	NENW 16 8S 20E S	1170 FN	L 1898 FWL GPS Coo	ord	
Location	(UTM) 612813E 444264	42N			

Geologic Statement of Basis

Axia proposes to set 1,000 feet of surface pipe, cemented to surface. The depth to the base of the moderately saline water at this location is estimated to be at approximately 500 feet. A search of Division of Water Rights records shows no water wells within a 10,000 foot radius of the center of Section 16. The surface formation at this site is the Uinta Formation and alluvium derived from the Uinta Formation. The Uinta Formation is made up of interbedded shales and sandstones. The sandstones are mostly lenticular and discontinuous and should not be a significant source of useable ground water. The proposed casing and cement should adequately protect ground water in this area.

Brad Hill
APD Evaluator
Date / Time

Surface Statement of Basis

This proposed pad is on state surface with state minerals. Surface owner representative Jim Davis attended the onsite but stated no concerns or requests regarding this site. Ben Williams of the UDWR was also in attendance and stated that this is pronghorn habitat but made no recommendations. Axia representative stated that a 20 mil liner would be used for this reserve pit and a felt subliner would be used if any rock is encountered. This liner proposal appears adequate for the site. An equipment color will be chosen to match the surrounding country. This appears to be a good location for placement of this well.

Richard Powell 10/16/2012

Onsite Evaluator Date / Time

Conditions of Approval / Application for Permit to Drill

Category	Condition
Pits	A synthetic liner with a minimum thickness of 16 mils with a felt subliner shall be properly installed and maintained in the reserve pit.
Surface	Drainages adjacent to the proposed pad shall be diverted around the location.
Surface	The reserve pit shall be fenced upon completion of drilling operations.

RECEIVED: December 10, 2012

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 9/27/2012

WELL NAME: Three Rivers 16-21-820 **OPERATOR: AXIA ENERGY LLC (N3765)**

CONTACT: Don Hamilton

PROPOSED LOCATION: NENW 16 080S 200E

SURFACE: 1170 FNL 1898 FWL

BOTTOM: 0660 FNL 1980 FWL

COUNTY: UINTAH LATITUDE: 40.12653

UTM SURF EASTINGS: 612813.00

FIELD NAME: UNDESIGNATED

LEASE TYPE: 3 - State

LEASE NUMBER: ML-49319

SURFACE OWNER: 3 - State

API NO. ASSIGNED: 43047532290000

PHONE NUMBER: 435 719-2018

Permit Tech Review:

Engineering Review:

Geology Review:

LONGITUDE: -109.67596

NORTHINGS: 4442642.00

PROPOSED PRODUCING FORMATION(S): WASATCH

COALBED METHANE: NO

RECEIVED AND/OR REVIEWED:

✓ PLAT

Bond: STATE/FEE - LPM9046682

Potash

Oil Shale 190-5

Oil Shale 190-3

Oil Shale 190-13

Water Permit: 49-2262 - RNI at Green River

RDCC Review:

Fee Surface Agreement

Intent to Commingle

Commingling Approved

LOCATION AND SITING:

R649-2-3.

Unit:

R649-3-2. General

R649-3-3. Exception

Drilling Unit

Board Cause No: R649-3-11

Effective Date:

Siting:

R649-3-11. Directional Drill


Comments: Presite Completed

Stipulations: 1 - Exception Location - bhill

5 - Statement of Basis - bhill

12 - Cement Volume (3) - hmacdonald

15 - Directional - dmason 23 - Spacing - dmason 25 - Surface Casing - hmacdonald



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: Three Rivers 16-21-820

API Well Number: 43047532290000

Lease Number: ML-49319 **Surface Owner:** STATE

Approval Date: 12/10/2012

Issued to:

AXIA ENERGY LLC, 1430 Larimer Ste 400, Denver, CO 80202

Authority:

Pursuant to Utah Code Ann. 40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of R649-3-11. The expected producing formation or pool is the WASATCH Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

Exception Location:

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an

area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis (copy attached).

Cement volume for the 5 1/2 production string shall be determined from actual hole diameter in order to place cement from the pipe setting depth back to 2000' MD as indicated in the submitted drilling plan.

Surface casing shall be cemented to the surface.

Additional Approvals:

The operator is required to obtain approval from the Division of Oil, Gas and mining before performing any of the following actions during the drilling of this well:

- Any changes to the approved drilling plan contact Dustin Doucet
- Significant plug back of the well contact Dustin Doucet
- Plug and abandonment of the well contact Dustin Doucet

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well - contact Carol Daniels OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website

at http://oilgas.ogm.utah.gov

- 24 hours prior to testing blowout prevention equipment contact Dan Jarvis
- 24 hours prior to cementing or testing casing contact Dan Jarvis
- Within 24 hours of making any emergency changes to the approved drilling program
 - contact Dustin Doucet
- 24 hours prior to commencing operations to plug and abandon the well contact Dan Jarvis

Contact Information:

The following are Division of Oil, Gas and Mining contacts and their telephone numbers (please leave a voicemail message if the person is not available to take the call):

- Carol Daniels 801-538-5284 office
- Dustin Doucet 801-538-5281 office

801-733-0983 - after office hours

- Dan Jarvis 801-538-5338 office
 - 801-231-8956 after office hours

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
 - Requests to Change Plans (Form 9) due prior to implementation
 - Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
 - Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For John Rogers Associate Director, Oil & Gas

	STATE OF UTAH			FORM 9
ı	DEPARTMENT OF NATURAL RESOL DIVISION OF OIL, GAS, AND N			5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319
SUNDR	RY NOTICES AND REPORT	rs on v	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significan reenter plugged wells, or to drill hor n for such proposals.			7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well				8. WELL NAME and NUMBER: Three Rivers 16-21-820
2. NAME OF OPERATOR: AXIA ENERGY LLC				9. API NUMBER: 43047532290000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400, Der	nver, CO, 80202 72	PHON 20 746-52	NE NUMBER: 200 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1170 FNL 1898 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 16 Township: 08.0S Range: 20.0E M	/leridian: S	3	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE NA	TURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	☐ AL	TER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	Сн	IANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ cc	DMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ FR	ACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	☐ PL	UG AND ABANDON	PLUG BACK
✓ SPUD REPORT	PRODUCTION START OR RESUME	RE	CLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud: 5/1/2013	REPERFORATE CURRENT FORMATION	SI	DETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
3/1/2013	TUBING REPAIR	U VE	NT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	□ sı	TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	Пот	TUED	OTHER:
			nex	
MIRU Pete Martin 16" conductor. Ceme	completed operations, clearly sho conductor rig. SPUD 5/1/1 ented to surface. Release Current status: wait on surf	13, dril Pete M	led to 120' and set fartin conductor rig.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 02, 2013
NAME (PLEASE PRINT) Cindy Turner	PHONE NU 720 746-5209		TITLE Project Manager	
SIGNATURE			DATE	
N/A			5/2/2013	

RECEIVED: May. 02, 2013



S-16 TO85 RQUE

Carol Daniels < caroldaniels@utah.gov> 4304153 Ta9

Spud Notice

1 message

Cordell Wold < cwold@axiaenergy.com>

Wed, May 1, 2013 at 12:56 PM

To: "caroldaniels@utah.gov" <caroldaniels@utah.gov>, "richardpowell@utah.gov" <richardpowell@utah.gov> Cc: Cindy Turner <ctumer@axiaenergy.com>, Bryce Holder <bholder@axiaenergy.com>, Jess Peonio <ipeonio@axiaenergy.com>

We will be moving onto Three Rivers 16-21-820 today and drilling and setting 16" conductor 5-2-2013 with Pete Martin.

Thanks,

Cordell Wold

Axia Energy

701-570-5540

RECEIVED MAY 0 1 2013

DIV. OF OIL, GAS & MINING



NENW 5-16 TO85 B20E



Capstar 321, Axia Energy, Three Rivers 16-21-820, BOP Test & Spud notice (Corrected Well#)

klbascom <klbascom@ubtanet.com>

Thu, May 16, 2013 at 4:47 PM

To: Carol Daniels <caroldaniels@utah.gov>, Dan Jarvis <danjarvis@utah.gov>, Richard Powell <richardpowell@utah.gov>

Cc: Cordell Wold <cwold@axiaenergy.com>, Cindy Turner <cturner@axiaenergy.com>

Correction: Capstar moving to Three Rivers 16-21-820 first, not Three Rivers 16-22-820.

Capstar #321 moving from Axia energys Three Rivers Fed 5-56-820 Friday5/17/820 to Three Rivers 16-21-820,AP# 43-047-53229 rig up & test BOP 5/18/13. Drill out Saturday morning. Any Questions, contact Kenny Bascom @ 435-828-0697.

RECEIVED


6 2013

DIV. OF OIL, GAS & MINING

Sundry Number: 37722 API Well Number: 43047532290000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN	· 	5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Three Rivers 16-21-820
2. NAME OF OPERATOR: AXIA ENERGY LLC			9. API NUMBER: 43047532290000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400, Der	nver, CO, 80202 720 7	PHONE NUMBER: '46-5200 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1170 FNL 1898 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section:	HP, RANGE, MERIDIAN: 16 Township: 08.0S Range: 20.0E Merio	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	✓ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
6/20/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	New construction
Date of Work Completion.	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
☐ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show a	all pertinent details including dates, o	depths, volumes, etc.
Axia Energy, LL0 approved APD as fo FWL to 500' FNL ar Proposed depth from	C respectfully requests changllows: Bottom hole location for 1980' FWL. (See attached m 7021' TD to 6824' TD. Sur o 8.625 24# J-55 ST&C. Cer approved APD will be follow	ges to the previously from 660' FNL and 1980' rev Plat & dir drlg plan) rface casing from 8.625 ment requirements in	Approved by the
NAME (PLEASE PRINT) Cindy Turner	PHONE NUMB 720 746-5209	ER TITLE Project Manager	
SIGNATURE N/A		DATE 5/8/2013	

Sundry Number: 37722 API Well Number: 43047532290000



Sundry Number: 37722 API Well Number: 43047532290000

May 8, 2013

Mr. Dustin Doucet Utah Division of Oil, Gas & Mining 1594 West North Temple Salt Lake City, Utah 84116

RE: Directional Drilling – R649-3-11

Three Rivers 16-21-820 (API # 43047532290000) NENW Sec 16-T8S-R20E Uintah County, UT

Mr. Doucet:

In accordance with our recent correspondence with your office, Axia Energy respectfully submits the below specifics concerning the proposed directional drilling of the subject well.


- Axia Energy, LLC is the sole owner of 100% of the leasehold rights within 460' around proposed wellbore and bottom hole location of the captioned well.
- In addition, the State mineral ownership is also consistent throughout the wellbore path.
- The directional drilling of the well is proposed to limit surface disturbance within the project and affected surface owners and utilize an existing pad.


Therefore, based on the above stated information, Axia Energy requests the permit be granted pursuant to R649-3-11.

Thank you in advance for your consideration. Please feel free to contact me at 720-746-5212 if you have any questions or comments.

Sincerely, AXIA ENERGY, LLC

Jess Peonio Senior Drilling Engineer & Regulatory Manager





Bighorn Directional, Inc.

Axia Energy Three Rivers 16-21-820 Uintah County, Utah



Minimum of Curvature Slot Location: 7219997.76', 2150334.91' Plane of Vertical Section: 8.00°

Page: 1

			True	RECTANGU	LAR	LAMB	ERT				
Measured	BORE	HOLE	Vertical	COORDINA		COORDI		Vertical	CLOSUR	ES	Dogleg
Depth	Inc	Direction	Depth	North(-South) Eas	t(-West)	Υ	Χ	Section	Distance Dire		Severity
Feet	Degrees	Degrees	Feet	Feet Fee		Feet	Feet	Feet	Feet De	eg .	Deg/100'
1300.00	0.00	0.00	1300.00	0.00	0.00	7219997.8	2150334.9	0.00	0.00	0.00	0.00
KOP/ Start Bu	ild										
1400.00	2.00	8.00	1399.98	1.73	0.24	7219999.5	2150335.2	1.75	1.75	8.00	2.00
1500.00	4.00	8.00	1499.84	6.91	0.97	7220004.7	2150335.9	6.98	6.98	8.00	2.00
1600.00	6.00	8.00	1599.45	15.54	2.18	7220013.3	2150337.1	15.69	15.69	8.00	2.00
1700.00	8.00	8.00	1698.70	27.61	3.88	7220025.4	2150338.8	27.88	27.88	8.00	2.00
1800.00	10.00	8.00	1797.47	43.10	6.06	7220040.9	2150341.0	43.52	43.52	8.00	2.00
1900.00	12.00	8.00	1895.62	61.99	8.71	7220059.8	2150343.6	62.60	62.60	8.00	2.00
2000.00	14.00	8.00	1993.06	84.27	11.84	7220082.0	2150346.7	85.10	85.10	8.00	2.00
2018.27	14.37	8.00	2010.77	88.70	12.46	7220086.5	2150347.4	89.57	89.57	8.00	2.00
End Build											
2518.27	14.37	8.00	2495.14	211.54	29.72	7220209.3	2150364.6	213.62	213.62	8.00	0.00
2615.16	14.37	8.00	2589.00	235.35	33.07	7220233.1	2150368.0	237.66	237.66	8.00	0.00
Top Green Riv											
2963.04	14.37	8.00	2926.00	320.82	45.08	7220318.6	2150380.0	323.97	323.97	8.00	0.00
Top Birds Nes											
3018.27	14.37	8.00	2979.51	334.39	46.98	7220332.1	2150381.9	337.67	337.67	8.00	0.00
3398.90	14.37	8.00	3348.23	427.90	60.12	7220425.7	2150395.0	432.10	432.10	8.00	0.00
Start Drop											
3400.72	14.33	8.00	3350.00	428.35	60.19	7220426.1	2150395.1	432.56	432.56	8.00	2.00
Base Birds Ne	est										
3498.90	12.37	8.00	3445.52	450.79	63.34	7220448.6	2150398.2	455.22	455.22	8.00	2.00
3598.90	10.37	8.00	3543.55	470.30	66.08	7220468.1	2150401.0	474.92	474.92	8.00	2.00
3698.90	8.37	8.00	3642.22	486.42	68.34	7220484.2	2150403.3	491.20	491.20	8.00	2.00
3798.90	6.36	8.00	3741.39	499.11	70.13	7220496.9	2150405.0	504.01	504.01	8.00	2.00
3898.90	4.36	8.00	3840.94	508.37	71.43	7220506.1	2150406.3	513.36	513.36	8.00	2.00
3998.90	2.36	8.00	3940.77	514.18	72.25	7220511.9	2150407.2	519.23	519.23	8.00	2.00
4098.90	0.37	8.00	4040.73	516.54	72.58	7220511.9	2150407.5	521.61	521.61	8.00	2.00
4030.30	0.37	0.00	4040.73	510.54	12.00	1220014.0	2130 4 07.3	321.01	521.01	0.00	2.00

RECEIVED: May. 08, 2013

Bighorn Directional, Inc.

Axia Energy Three Rivers 16-21-820 Uintah County, Utah



Minimum of Curvature Slot Location: 7219997.76', 2150334.91' Plane of Vertical Section: 8.00°

Page: 2

Measured Depth Feet	BORE Inc Degrees	HOLE Direction Degrees	True Vertical Depth Feet	RECTANGU COORDINA North(-South) Eas Feet Fee	TES st(-West)	LAMB COORDI Y Feet		Vertical Section Feet	CLOSUR Distance Dire Feet De	ection	Dogleg Severity Deg/100'
4117.17	0.00	8.00	4059.00	516.60	72.58	7220514.4	2150407.5	521.67	521.67	8.00	2.00
Vertical Point											
4556.17	0.00	8.00	4498.00	516.60	72.58	7220514.4	2150407.5	521.67	521.67	8.00	0.00
Garden Gulch											
4711.17	0.00	8.00	4653.00	516.60	72.58	7220514.4	2150407.5	521.67	521.67	8.00	0.00
TGR3											
6374.17	0.00	8.00	6316.00	516.60	72.58	7220514.4	2150407.5	521.67	521.67	8.00	0.00
Top Uteland Bu											
6524.17	0.00	8.00	6466.00	516.60	72.58	7220514.4	2150407.5	521.67	521.67	8.00	0.00
Top Wasatch											
6824.17 TD	0.00	8.00	6766.00	516.60	72.58	7220514.4	2150407.5	521.67	521.67	8.00	0.00

Final Station Closure Distance: 521.67' Direction: 8.00°

RECEIVED: May. 08, 2013

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Three Rivers 16-21-820
2. NAME OF OPERATOR: AXIA ENERGY LLC			9. API NUMBER: 43047532290000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400, Der		DNE NUMBER: 5200 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1170 FNL 1898 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section:	IIP, RANGE, MERIDIAN: 16 Township: 08.0S Range: 20.0E Meridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
6/15/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
40 DECORUPE BRODOSED OR	COMPLETED OPERATIONS. Clearly show all pe		,
APD to drill an 12/10/2012 . Axia I to complete the	d complete a WASATCH well was Energy, LLC. respectfully reques Green River formation and the River formations. Attached is R649-3-22.	as approved on ests your permission n commingle the	Approved by the Utah Division of Oil, Gas and Mining Date: June 20, 2013 By: Death County
NAME (PLEASE PRINT) Cindy Turner	PHONE NUMBER 720 746-5209	TITLE Project Manager	
SIGNATURE N/A		DATE 6/3/2013	

AFFIDAVIT OF LEASE OWNERSHIP

I, Tab McGinley, Affiant, being duly sworn depose and say:

THAT, I am the Vice President of Land for Axia energy, LLC, a Delaware limited liability company, authorized to do business in Colorado (hereinafter referred to as "Axia"), 1430 Larimer Street, Suite 400, Denver, CO 80202. Axia owns, operates and manages oil and gas interests in the State of Utah including the lands described below located in Uintah County, Utah.

WHEREAS, Axia Energy, LLC has provided a copy of this application to contiguous leasehold and unleased mineral owners to the NE/4 NW/4 of Section 16-T8S-R20E of Uintah County, Utah, per attached Exhibit.

Further Affiant sayeth not.

Subscribed and sworn to before me this 3rd day of June, 2013.

Tab McGinley Vice President, Land

STATE OF COLORADO)

} ss

COUNTY OF DENVER)

The foregoing instrument was acknowledged before me by Tab McGinley, Vice President of Land, this 3rd day of June, 2013.

Notary Public

Notary seal:

Cindy J. Turner
Notary Public
State of Colorado

My Commission Expires 06/04/2013


Attachment to Sundry Notice Form 9

Three Rivers 16-21-820

API: 43047552290000

Notice of intent – commingle Wasatch and Green formations

- 1.1 Exhibit A showing location of the well.
- 1.2 Method of Completion: the pools will be completed from the lower portion of the well (Wasatch) to the upper portion of the well (Green River) in succession. Intervals will be selectively perforated and fracture stimulated starting in the lower portion of the well. A composite bridge plug will be set to isolate the previously perforated/stimulated interval, and additional perforations will be added and fracture stimulated. Perforating/Stimulation will occur in this manner through the Wasatch and Green River formations in 6-8 stages. Once all desired intervals have been perforated, stimulated and isolated, all composite plugs will be drilled out. A tubing string with rod pump will be run to produce Wasatch and Green River oil in a commingled fashion.
- Allocation should never be necessary due to equal mineral ownership in all pools. However, if it ever became necessary, allocation would be based on individual formation production percentages developed during the initial testing of the well.
- Affidavit of Lease Ownership Acknowledgement that Axia Energy, LLC has provided a copy of this application to contiguous leasehold and unleased mineral owners to the NE/4 NW/4 of Section 16-T8S-R20E of Uintah County, Utah.



	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Three Rivers 16-21-820
2. NAME OF OPERATOR: AXIA ENERGY LLC			9. API NUMBER: 43047532290000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400, Der	nver, CO, 80202 720 7	PHONE NUMBER: 46-5200 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1170 FNL 1898 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 16 Township: 08.0S Range: 20.0E Merio	lian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	✓ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
6/21/2013	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Axia Energy, LLc Wasatch and Gree plans and we only o	COMPLETED OPERATIONS. Clearly show a previously received permiss in River formations. However, completed the Green River. E Please update Entity Action I	ion to commingle the there was a change in Bottom Perf: 6,482' Top	Approved by the Utah Division of Oil, Gas and Mining Date: July 03, 2013 By:
NAME (PLEASE PRINT) Cindy Turner	PHONE NUMB 720 746-5209	ER TITLE Project Manager	
SIGNATURE	120 170 0200	DATE	
N/A		6/27/2013	

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319
SUNDF	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Three Rivers 16-21-820
2. NAME OF OPERATOR: AXIA ENERGY LLC			9. API NUMBER: 43047532290000
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	9. FIELD and POOL or WILDCAT:
1430 Larimer Ste 400 , Del	nver, CO, 80202 720 74	6-5200 Ext	UNDESIGNATED COUNTY:
FOOTAGES AT SURFACE: 1170 FNL 1898 FWL			UINTAH
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NENW Section:	HIP, RANGE, MERIDIAN: 16 Township: 08.0S Range: 20.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
6/1/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER: Exception Location
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates.	<u>'</u>
	ns with your office, Axia Energ		Approved by the
requests an Excep	ption Location for the subject	well per the attached	Utah Division of Oil, Gas and Mining
	letter.		
			Date: July 23, 2013
			By: Der K Dunt
NAME (PLEASE PRINT)	PHONE NUMBE		
Cindy Turner	720 746-5209	Project Manager	
SIGNATURE N/A		DATE 5/23/2013	



May 22, 2013

Mr. Dustin Doucet Utah Division of Oil, Gas & Mining 1594 West North Temple Salt Lake City, Utah 84116

RE: Request for Exception Location

Three Rivers 16-21-820 (API # 43047532290000)

NENW Sec 16-T8S-R20E Uintah County, UT

Mr. Doucet:

In accordance with our recent correspondence with your office, Axia Energy respectfully requests an exception location for the above referenced well.

Axia Energy, LLC is the sole owner of 100% of the leasehold rights within 460' around the wellbore of the captioned well. In addition, the State mineral ownership is also consistent.

The request is necessary for optimal well placement and to maximize the number of potential wells to be drilled from a single surface disturbance when considering directional drilling constraints. The proposed BHL of 500′ FNL & 1,980′ FWL of Section 16, T8S/R20E gives an inter-well distance of 856′ to the nearest proposed well.

We shall therefore appreciate your granting Axia's exception location request.

Thank you in advance for your consideration. Please feel free to contact me at 720-746-5212 if you have any questions or comments.

Sincerely,

AXIA ENERGY, LLC

Jess Peonio

Senior Drilling Engineer & Regulatory Manager

Sundry Number: 42699 API Well Number: 43047532290000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Three Rivers 16-21-820
2. NAME OF OPERATOR: AXIA ENERGY LLC			9. API NUMBER: 43047532290000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400, Der	nver, CO, 80202 720 7	PHONE NUMBER: '46-5200 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: UINTAH
1170 FNL 1898 FWL QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section:	HIP, RANGE, MERIDIAN: 16 Township: 08.0S Range: 20.0E Merio	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
 	✓ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	
			☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date: 9/19/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
0,10,2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:
SPUD 05/01/13: MI Cemented to surface and set 1029' 8-5/8 OPS 05/18/13: MIR 6,872' 5-1/2" pro RELEASED: 05/25	COMPLETED OPERATIONS. Clearly show a RU Pete Martin. Drilled and e. SET SURF CSG 05/13/13: 8" csg. Cemented to surface. BU Capstar Drilling. Drilled to d csg. DATE TD REACHED: 5/13 TMD: 6,890' TVD: 6,793' OD DATE: 06/29/13 FORMAT	Set 120' conductor csg. MIRU Pro-Petro. Drilled RESUMED DRILLING TD. Set and cemented 05/23/13 DRLG RIG COMP START DATE: TION: GREEN RIVER	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 19, 2013
Cindy Turner	720 746-5209	Project Manager	
SIGNATURE N/A		DATE 9/18/2013	

Sundry Number: 42488 API Well Number: 43047532290000

			FORM 9
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE	S	
ı	DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319
SUNDR	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Three Rivers 16-21-820
2. NAME OF OPERATOR: AXIA ENERGY LLC			9. API NUMBER: 43047532290000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400, Der		PHONE NUMBER: 6-5200 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1170 FNL 1898 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 16 Township: 08.0S Range: 20.0E Meridia	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE [ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
10/1/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEDEN [FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:		¬	
	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER: Central Tank Facility
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, o	depths, volumes, etc.
	ANK FACILITY: Three Rivers C		Approved by the
Attach	ed for Proposal and Allocation	n Diagram	Utah Division of
			Oil, Gas and Mining
			Date: October 08, 2013
			By: Dork Dunt
NAME (PLEASE PRINT)	PHONE NUMBE		
Cindy Turner	720 746-5209	Project Manager	
SIGNATURE N/A		DATE 9/11/2013	

Sundry Number: 42488 API Well Number: 43047532290000

AXIA THREE RIVERS CENTRAL TANK FACILITY

Axia Energy, LLC submits the following documentation as follow-up to verbal and email approval to commingle certain wells with common interests per attached diagram.

Allocation Proposal:

Each well that comes on will be set-up and plumbed individually with (2) 500 bbl oil tanks and (1) 500 bbl water tank for each producing well.

When production on a well basis exceeds current individual well storage, production would be gauged and an internal run ticket would be generated. The oil would then be shipped to the centralized tank facilities per attached allocation diagram.

Oil Sales from Centralized Storage Facility would be allocated back to the applicable well on a first infirst out basis and quantity would be based on the run ticket generated when the oil is sold to oil purchaser.

Proposed centralized storage facilities are set up by State or Federal lease number, or in the case of Fee wells, by common interest.

Reporting Requirements:

- When oil is transferred to the central tank battery from a well location, the volume will appear on Form 11 (Monthly Disposition Report) as transported volume for the applicable entity location.
- A Form 12 (Transfer of Oil) for the volume going to the CTB will be prepared with any applicable internal run tickets attached.

EFFECTIVE DATE: October 1, 2013


Sundry Number: 42488 API Well Number: 43047532290000

NAME: THREE RIVERS CTB ST ML-49319

THREE RIVERS WELLS IN SECTION 16 OF TWNSHP 8S-RNG 20E THAT CAN FLOW TO CENTRAL TANK BATTERY **DESC:**

BASED ON COMMON INTEREST/LEASE NO

LEASE: STATE LEASE ML-49319



When well tanks get full and we are unable to sell, we would move the oil to the central facility for storage/sales using an internal run ticket.
Sales from the Central Tank Battery would be allocated back to the wells on a first in - first out basis.

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319
SUNDR	RY NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Three Rivers 16-21-820
2. NAME OF OPERATOR: AXIA ENERGY LLC			9. API NUMBER: 43047532290000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400, Der		DNE NUMBER: 5200 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1170 FNL 1898 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	tip, range, Meridian: 16 Township: 08.0S Range: 20.0E Meridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT Approximate date work will start: 9/1/2013 SUBSEQUENT REPORT Date of Work Completion: SPUD REPORT Date of Spud: DRILLING REPORT Report Date: 12. DESCRIBE PROPOSED OR	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF		CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APD EXTENSION OTHER: Variance Request Lepths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining Date: December 03, 2013 By: December 03, 2013
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE Project Manager	
Cindy Turner SIGNATURE N/A	720 746-5209	Project Manager DATE 11/7/2013	

Three Rivers #16-21-820

Notice of Intent start: Sept 1, 2013

Axia Energy, LLC respectfully requests a variance to the 1800 MCF/MO limit of flaring oil production associated gas on the subject well to the next Utah Board of Oil, Gas and Mining Hearing considering the next filing date. Axia Energy has constructed gas gathering infrastructure within the field and the subject well has been tied into the system but is awaiting gas gatherer ROW approval and construction to send the gas to sales. Axia Energy is requesting the variance to the next available Utah Board Hearing so that: a) production rates can be evaluated to properly size production equipment on the subject well and future wells, b) a decline curve can be evaluated for EUR determination and future planning of drill schedule and capital, and c) production will not be curtailed and EUR decreased due to the shut-in and potential damage to the reservoir (analogous projects operated by Axia Energy have shown a production and EUR decrease due to lengthy shut-ins). The last (Oct., '13) monthly flaring volume for the subject well was 1,937 MCF/MO and efforts will be made to minimize flaring by maximizing fuel usage until the hearing.

RECEIVED: Nov. 07, 2013

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

اامW	name:	See Attached L	ist	_			
	number:	Occ / Madrica E					
	ation:	Qtr-Qtr:	Section:	Township:	Range:		
	pany that filed original application:	-	Star Point Enterprises				
	original permit was issued:		·				
Com	pany that permit was issued to:	Axia Energy, L	LC		,		
			300				
heck		Des	ired Action:			-	
one)
	Transfer pending (unapproved) App	lication for Pe	ermit to Drill to ne	ew operator			
	The undersigned as owner with legal r	ights to drill on	the property, here	by verifies that the ir	nformation as	_	
	submitted in the pending Application for owner of the application accepts and a	or Permit to Dri	I, remains valid an	nd does not require re	evision. The n	new n	
√	Transfer approved Application for F	Permit to Drill t	o new operator				
	The undersigned as owner with legal r information as submitted in the previous revision.					;	-
	· · · · · · · · · · · · · · · · · · ·						
			uliantian vehicle	hould be verified		Vac	Ma
	owing is a checklist of some items rel		plication, which s	should be verified.		Yes	No
	ated on private land, has the ownership	changed?	plication, which s	should be verified.		Yes	No.
f loc	ated on private land, has the ownership If so, has the surface agreement been	changed? updated?				Yes	No ✓
f loc	ated on private land, has the ownership	changed? updated?			iting	Yes	No.
f loc Have requ	ated on private land, has the ownership If so, has the surface agreement been any wells been drilled in the vicinity of	changed? updated? the proposed w	ell which would af	fect the spacing or s		Yes	No ✓
f loc lave equ lave prop	ated on private land, has the ownership If so, has the surface agreement been e any wells been drilled in the vicinity of rements for this location? e there been any unit or other agreemen	changed? updated? the proposed w ts put in place t	ell which would af	fect the spacing or s e permitting or opera	ation of this	Yes	No.
Have requ Have prop Have prop	ated on private land, has the ownership If so, has the surface agreement been e any wells been drilled in the vicinity of rements for this location? e there been any unit or other agreemen osed well? e there been any changes to the access	changed? updated? the proposed w ts put in place t	ell which would af	fect the spacing or s e permitting or opera	ation of this	Yes	No V
f loc	ated on private land, has the ownership If so, has the surface agreement been e any wells been drilled in the vicinity of rements for this location? e there been any unit or other agreemen beed well? e there been any changes to the access beed location?	changed? updated? the proposed w ts put in place t route including changed?	ell which would af hat could affect th ownership or righ	fect the spacing or s e permitting or opera t-of-way, which could	ation of this	Yes	✓ ✓ ✓
Have requ Have prop Has Have blans	ated on private land, has the ownership If so, has the surface agreement been e any wells been drilled in the vicinity of rements for this location? The there been any unit or other agreement based well? The there been any changes to the access based location? The approved source of water for drilling there been any physical changes to the	changed? updated? the proposed w ts put in place t route including changed? e surface location	ell which would af that could affect th ownership or right	fect the spacing or s e permitting or opera t-of-way, which could	ation of this	Yes	✓ ✓ ✓
Have requested the state of the	ated on private land, has the ownership If so, has the surface agreement been e any wells been drilled in the vicinity of rements for this location? e there been any unit or other agreemen osed well? e there been any changes to the access osed location? the approved source of water for drilling there been any physical changes to the form what was discussed at the onsite	changed? updated? the proposed w ts put in place t route including changed? e surface location evaluation? oposed well? B a pending or apport amended Ap	ell which would af that could affect the ownership or right on or access route ond No.	fect the spacing or see permitting or operated to feel to be a second of the second of	ation of this d affect the change in	ns fer	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Have requested the state of the	ated on private land, has the ownership If so, has the surface agreement been e any wells been drilled in the vicinity of rements for this location? The there been any unit or other agreemen beed well? The there been any changes to the access beed location? The approved source of water for drilling there been any physical changes to the form what was discussed at the onsite anding still in place, which covers this pro- desired or necessary changes to either a ld be filed on a Sundry Notice, Form 9, or	changed? updated? the proposed w ts put in place t route including changed? e surface location evaluation? oposed well? B a pending or apport amended Ap	ell which would af that could affect the ownership or right on or access route ond No.	fect the spacing or see permitting or operate-of-way, which could which will require a for Permit to Drill the to Drill, Form 3, as	ation of this d affect the change in hat is being tra	refer in 2013	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
CDW

X - Change of Operator (Well Sold)			Operator Name Change/Merger								
The operator of the well(s) listed below has char	ged, effecti	10/1/2013									
FROM: (Old Operator):			TO: (New	Operator):			-				
N3765-Axia Energy, LLC			N4045-Ultra		nc.						
1430 Larimer Street, Suite 400			304 Invernes								
Denver, CO 80202			Englewood, (, Suite 273						
Phone: 1 (720) 746-5200			Phone: 1 (303	3) 645-9810							
CA No.			Unit:	N/A							
WELL NAME	SEC TWI	N RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS				
See Attached List				1.0	11112	1111	SIATUS				
 1. (R649-8-10) Sundry or legal documentation was 2. (R649-8-10) Sundry or legal documentation was 3. The new company was checked on the Departs 4a. Is the new operator registered in the State of USa. (R649-9-2)Waste Management Plan has been res 5b. Inspections of LA PA state/fee well sites comp 5c. Reports current for Production/Disposition & S 	nent of Con Itah: ceived on: lete on: undries on:	from the	e NEW operators, Division of Caracters Num N/A N/A 1/14/2014	or on: Co rporation : nber: —	8861713-01	_ n:	1/14/2014				
6. Federal and Indian Lease Wells: The BL	M and or th	e BIA h	nas approved th	ne merger, na	me change,						
or operator change for all wells listed on Federa	al or Indian	leases o	on:	BLM	Not Yet	BIA					
7. Federal and Indian Units:											
The BLM or BIA has approved the successor	N/A										
8. Federal and Indian Communization Ag						_					
The BLM or BIA has approved the operator f					N/A						
9. Underground Injection Control ("UIC") Division	has ap	proved UIC	Form 5 Tran	sfer of Aut	hority to					
Inject, for the enhanced/secondary recovery un	it/project fo	r the wa	ter disposal w	ell(s) listed o	n:	N/A					
DATA ENTRY:			•	` '			_				
 Changes entered in the Oil and Gas Database Changes have been entered on the Monthly Op Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on Injection Projects to new operator in RBDMS on 	erator Cha	inge Sp	1/14/2014 read Sheet on 1/14/2014 1/14/2014 N/A	- : -	1/14/2014	-					
6. Receipt of Acceptance of Drilling Procedures for		v on:		_	1/14/2014						
7. Surface Agreement Sundry from NEW operator	on Fee Surf	face wel	lls received on:		Yes	-					
BOND VERIFICATION:				•		-					
1. Federal well(s) covered by Bond Number:			22046400								
2. Indian well(s) covered by Bond Number:			22046400								
3a. (R649-3-1) The NEW operator of any state/fee	well(s) list	ed cove	red by Bond N	lumber	22046398						
3b. The FORMER operator has requested a release	of liability	from th	eir bond on:	Not Yet							
LEASE INTEREST OWNER NOTIFIC	ATION:										
4. (R649-2-10) The NEW operator of the fee wells		ntacted	and informed I	ov a letter fro	m the Divisio	าท					
of their responsibility to notify all interest owner	s of this cha	nge on:		1/14/2014	111 UIC DIVISIO	<i>7</i> 11					
COMMENTS:											

Well Name	Sec	TWN			Entity	Mineral Lease	Well Type	Well Status
THREE RIVERS 2-41-820	2	080S		4304752686		State	OW_	APD
THREE RIVERS 2-25-820	2	080S		4304752690		State	OW	APD
THREE RIVERS 36-21-720	36	070S		4304752698		State	OW	APD
THREE RIVERS 36-13-720	36	070S		4304752699		State	OW	APD
THREE RIVERS FEDERAL 3-54-82		080S		4304752860		Federal	OW	APD
THREE RIVERS FEDERAL 3-33-82	-	080S		4304752864		Federal	OW	APD
THREE RIVERS FED 35-34-720	35	070S		4304753006		Federal	OW	APD
THREE RIVERS FED 35-42-720	35	070S		4304753007		Federal	OW	APD
THREE RIVERS FED 35-44-720	35	070S		4304753008		Federal	OW	APD
Three Rivers 2-32-820	2	080S		4304753274		State	OW	APD
Three Rivers 18-21-821	18	080S		4304753276	<u> </u>	Fee	OW	APD
Three Rivers 18-31-821	18	080S	210E	4304753277		Fee	OW	APD
Three Rivers 27-34-720	34	070S	200E	4304753278		Fee	OW	APD
Three Rivers 34-31T-720	34	070S		4304753281		Fee	OW	APD
Three Rivers Federal 35-14-720	35	070S		4304753553	1	Federal	OW	APD
Three Rivers Federal 35-13-720	35	070S		4304753554		Federal	OW	APD
Three Rivers 7-34-821	7	080S		4304753558		Fee	OW	APD
Three Rivers 7-23-821	7	080S		4304753559	<u>i</u>	Fee	OW	APD
Three Rivers 7-21-821	7	080S		4304753560		Fee	OW	APD
Three Rivers 7-22-821	7	080S		4304753561		Fee	OW	APD
Three Rivers 7-12-821	7	080S	210E	4304753562		Fee	OW	APD
Three Rivers 18-22-821	18	080S		4304753620		Fee	OW	APD
Three Rivers 18-32-821	18	080S		4304753621		Fee	OW	APD
Three Rivers D	16	080S	200E	4304753702		State	WD	APD
Three Rivers Federal 4-41-820	4	080S	200E	4304753911		Federal	OW	APD
Three Rivers Federal 4-42-820	4	080S		4304753913	ļ	Federal	OW	APD
Three Rivers Federal 3-12-820	4	080S		4304753914		Federal	OW	APD
Three Rivers Federal 34-42-720	35	070S		4304753915		Federal	OW	APD
Three Rivers Federal 34-43-720	35	070S		4304753916		Federal	OW	APD
Three Rivers Federal 35-12-720	35	070S		4304753917		Federal	OW	APD
Three Rivers Federal 35-43-720	35	070S		4304753918		Federal	OW	APD
Three Rivers Federal 35-442-720	35	070S		4304753919		Federal	OW	APD
Three Rivers Federal 35-21-720	35	070S		4304753943		Federal	OW	APD
Three Rivers Federal 35-11-720	35	070S		4304753944			OW	APD
Three Rivers 2-24-820	2	080S		4304753945		State	OW	APD
Three Rivers 2-223-820	2	080S		4304753946			OW	APD
Three Rivers 2-21-820	2	080S		4304753947			OW	APD
Three Rivers 2-22-820	2	080S		4304753948			OW	APD
Three Rivers 32-42-720	32	070S		4304753949	-		OW	APD
Three Rivers Federal 3-13-820	3	080S		4304753951			OW	APD
Three Rivers Federal 3-14-820	3	080S		4304753952			OW	APD
Three Rivers Federal 3-23-820	3	080S		4304753953			OW	APD
Three Rivers Federal 3-24-820	3	080S	-	4304753954			OW	APD
Three Rivers 4-13-820	5	080S		4304753956			OW	APD
Three Rivers Federal 5-43-820	5	080S		4304753957			OW	APD
Three Rivers Federal 5-42-820	5	080S		4304753958		Federal	OW	APD
Three Rivers Federal 5-11-820	5	080S		4304754204			OW	APD
Three Rivers Federal 5-21-820	5	080S		4304754205		Federal	OW	APD
Three Rivers Federal 8-31-820	8	080S		4304754211		Federal	OW	APD
Three Rivers Federal 8-41-820	8	080S		4304754212		Federal	OW	APD
Three Rivers Federal 3-34-820	3	080S	200E	4304754213	· ·	Federal	OW	APD
Three Rivers Federal 3-44-820	3	080S		4304754214			OW	APD
	32	070S		4304752735			OW	DRL
THREE RIVERS FEDERAL 8-52-820		080S		4304752770			OW	DRL
	5	080S		4304752863			OW	DRL
	10	080S		4304752949			OW	DRL
THREE RIVERS FED 3-11-820	34	070S	200E	4304752950		i	OW	DRL
Three Rivers 16-21-820 Three Rivers 16-22-820	16 16	080S 080S		4304753229 4304753230			OWWC	DRL

1 1/14/2014

	1	-,	1			T		
Three Rivers Federal 34-35-720	34	070S	200E		·	Federal	OW	DRL
Three Rivers Federal 34-25-720	34	070S	200E	 	 	Federal	OW	DRL_
Three Rivers Federal 10-32-820	10	080S		4304753415		Federal	OW	DRL
Three Rivers Federal 10-31-820	10	080S	200E	4304753437		Federal	OW	DRL
Three Rivers 16-34-820	16	080S	200E	4304753472	19278	State	OW	DRL
Three Rivers 16-44-820	16	080S	200E	4304753473	19268	State	OW	DRL
Three Rivers 16-11-820	16	080S	200E	4304753474	19262	State	OW	DRL
Three Rivers 16-12-820	16	080S	200E	4304753475	19263	State	OW	DRL
Three Rivers 16-32-820	16	080S	200E	4304753494	19185	State	OW	DRL
Three Rivers 16-31-820	16	080S		4304753495	19269	State	OW	DRL
Three Rivers 16-33-820	16	080S			19161		OW	DRL
THREE RIVERS FED 10-30-820	10	080S		· [·······		Federal	OW	DRL
Three Rivers Federal 9-41-820	10	080S		4304753556	-		OW	DRL
Three Rivers Federal 33-13-720	33	070S				Federal	OW	DRL
Three Rivers Federal 33-12-720	33	070S		4304753724		Federal	OW	DRL
Three Rivers 32-3333-720	32	070S	-1	4304753950	19251		ow	DRL
THREE RIVERS 36-11-720	36	070S		4304753936	18355	+	ow	P
THREE RIVERS 2-11-820	2	080S	-	4304751936	18354		OW	P
THREE RIVERS 34-31-720	34	070S		4304752012	18326		OW	P
THREE RIVERS 16-42-820	16		-			·		
		080S		4304752056	18682		OW	P
THREE RIVERS 16-43-820	16	080S		4304752057	18683		OW	P
THREE RIVERS 16-41-820	16	080S		4304752110	18356		OW	P
THREE RIVERS 2-51-820	2	080S	200E		18941		OW	P
THREE RIVERS 2-13-820	2	080S	200E	4304752687	19014	 	OW	P
THREE RIVERS 2-23-820	2	080S	200E	4304752688	19015	 	OW	P
THREE RIVERS 2-15-820	2	080S	200E	4304752689	18770	····	OW	P
THREE RIVERS 36-31-720	36	070S	200E	4304752697	19086	State	OW	P
THREE RIVERS 32-25-720	32	070S	200E	4304752718	19033	Fee	OW	P
THREE RIVERS 36-23-720	36	070S	200E	4304752733	18769	State	OW	P
THREE RIVERS 32-33-720	32	070S	200E	4304752734	19016	Fee	OW	P
THREE RIVERS 32-15-720	32	070S	200E	4304752736	18767	Fee	OW	P
THREE RIVERS 32-35-720	32	070S	200E	4304752737	18766	Fee	OW	P
THREE RIVERS FEDERAL 8-53-820	8	080S	200E	4304752771	18992	Federal	OW	P
THREE RIVERS FEDERAL 3-53-820	(3	080S	200E	4304752820	19104	Federal	OW	P
THREE RIVERS FEDERAL 3-32-820	3	080S		4304752861		Federal	ow	P
THREE RIVERS FEDERAL 5-56-820		080S				Federal	OW	P
THREE RIVERS FED 4-31-820	4	080S		4304752874			OW	P
THREE RIVERS 4-21-820	4	080S		+·· .		Federal	OW	P
THREE RIVERS FED 34-23-720	34	070S				Federal	OW	P
THREE RIVERS FED 34-33-720	34	070S	+	1		Federal	ow	P
THREE RIVERS FED 10-41-820	10	080S		4304752948		1	OW	P
THREE RIVERS FED 34-15-720	34	070S		4304752948			OW	P
THREE RIVERS FED 35-32-720	35	070S		4304752905			OW	P
Three Rivers 16-23-820	1		-				-	
	16	080S		4304753231			OW	P
Three Rivers 16-24-820	16	080S	+	4304753232			OW	P
Three Rivers 2-33-820	2	080S		4304753273			OW	P
Three Rivers 4-33-820	4	080S	1	4304753528			OW	P
Three Rivers Federal 33-14-720	33	070S	1	4304753551			OW	P
Three Rivers Federal 4-32-820	4	080S		4304753552			OW	P
Three Rivers Federal 33-24-720	33	070S	-	4304753557			OW	P
Three Rivers 32-334-720	32	070S	200E	4304753710	19067	Fee	OW	P
Three Rivers 5-31-820	32	070S	200E	4304753711	19068	Fee	OW	P
Three Rivers Federal 33-11-720	32	070S	200E	4304753733	19109	Federal	OW	P
Three Rivers 32-32-720	32	070S	200E	4304753734	19087	Fee	OW	P
Three Rivers 32-333-720	32	070S	200E	4304753735	19088	Fee	OW	P



Ultra Resources, Inc.

December 13, 2013

RECEIVED

DEC 1.6 2013

DIV. OF OIL, GAS & MINING

Division of Oil, Gas, and Mining 1594 West North Temple Salt Lake City, UT 84116 Attn: Rachel Medina

Re:

Transfer of Operator Three Rivers Project Area Uintah County, Utah

Dear Ms. Medina:

Pursuant to Purchase and Sale Agreement dated effective October 1, 2013 Ultra Resources, Inc. ("Ultra") assumed the operations of Axia Energy, LLC ("Axia") in the Three Rivers Area, Uintah County, Utah.

Accordingly, Ultra is submitting the following documents for your review and approval:

- 1) Request to Transfer Application or Permit to Drill for New, APD Approved & Drilled Wells
- 2) Request to Transfer Application or Permit to Drill APD Pending
- 3) Two Completed Sundry Notice and Reports on Wells Form 9 regarding Change of Operator executed by Ultra Resources, Inc. and Axia Energy, LLC
- 4) Statewide Surety Bond in the amount of \$120,000

As to all wells located on Fee Surface there are surface agreements in place. Ultra presently does not anticipate making any change in the drilling plans submitted by Axia.

Ultra has also submitted a Statewide Bond to the Bureau of Land Management. As soon as we receive the acknowledgement and approval by the BLM we will forward same to you for your files. A copy of our transfer letter and bond is attached for your reference.

Should you need any further information at this time, please call me direct at (303) 645-9865 or email msbalakas@ultrapetroleum.com.

zincerely,

Mary Sharon Balakas, CPL

Director of Land

cc: Cindy Turner, Axia Energy, LLC

STATE OF UTAH TMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Well List
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL	7. UNIT or CA AGREEMENT NAME:
OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: See Attached Well List
2. NAME OF OPERATOR: Ultra Resources, Inc. N4045	9. API NUMBER:
Ultra Resources, Inc. N4045 3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. 5(5) D. AND POOL OR MIL POAT
304 Inverness Way South CITY Englewood STATE CO ZIP 80112 (303) 645-9810	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT. OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	THE OTHER BATTA
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: Approximate date work will start: CASING REPAIR CASING REPAIR NEW CONSTRUCTION NEW CONSTRUCTION NEW CONSTRUCTION NEW CONSTRUCTION OPERATOR CHANGE CHANGE TO PREVIOUS PLANS CHANGE TUBING PLUG AND ABANDON PLUG BACK CHANGE WELL NAME CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume EFFECTIVE DATE: October 1, 2013 FROM: Axia Energy, LLC 1430 Larimer Street Suite 400 Denver, CO 80202 Bond Number: Blanket Statewide UT State/Fee Bond LPM9046682 TO:	RECEIVED
Ultra Resources, Inc. 304 Inverness Way South Englewood, CO 80112 Bond Number:DCGM: 032040398 Ultra Resources, Inc. will be responsible under the terms and conditions of the leases/wells to leased lands. NAME (PLEASE PRINT) Mary Sharon Balakas TITLE Attorney in Fact SIGNATURE Mary Phram Bulkes DATE 12/11/1	DEC 1 6 2013 DIV. OF OIL, GAS & MINING for the operations conducted on the
his space for State use only)	

JAN 16 2013

ATTACHMENT TO FORM 9 CHANGE OF OPERATOR

AXIA ENERGY TO ULTRA RESOURCE	ES EFFECTIVE 10-01-2013												
	Axia Well Name									State	Actual	T	Date
State Well Name	(for database sort	1				1	Mineral	Surface	Well	Well	Status @		Apprvd
List downloaded 12-10-13	and consistency)	Sec	TWN	RNG	API Number	Entity	Lease	Lease	Туре	Status	12/12/13	Submitted	DOGM
THREE RIVERS 2-11-820	Three Rivers 02-11-820	2	0805	200E	4304751936	18354	State	State	ow	Р	Р		
THREE RIVERS 2-13-820	Three Rivers 02-13-820		0805	200E	4304752687			State	ow	DRL	Р		08/27/1
THREE RIVERS 2-15-820	Three Rivers 02-15-820		0805	200E	4304752689	18770	State	State	ow	Р	Ρ		
Three Rivers 2-21-820	Three Rivers 02-21-820	_	0805	200E	4304753947	'	State	State	ow	APD	APRVD		10/15/1
Three Rivers 2-223-820	Three Rivers 02-223-820		0805	200E	4304753946	<u> </u>	State	<u>State</u>	ow	APD	APRVD		10/15/1
Three Rivers 2-22-820	Three Rivers 02-22-820	-	0805	200E	4304753948		State	State	ow	APD	APRVD		10/15/1
THREE RIVERS 2-23-820	Three Rivers 02-23-820	2	0805	200E	4304752688	19015	State	State	ow	DRL	Р		08/27/1
Three Rivers 2-24-820	Three Rivers 02-24-820	2	0805	200E	4304753945		State	State	ow	APD	APRVD		10/15/1
THREE RIVERS 2-25-820	Three Rivers 02-25-820	2	0805	200E	4304752690	l	State	State	ow	APD	APRVD		08/27/1
Three Rivers 2-32-820	Three Rivers 02-32-820	2	0805	200E	4304753274		State	State	ow	APD	APRVD		12/11/1
Three Rivers 2-33-820	Three Rivers 02-33-820	2	0805	200E	4304753273	18943	State	State	ow	Р	Р		
THREE RIVERS 2-41-820	Three Rivers 02-41-820	2	0805	200E	4304752686		State	State	ow	APD	APRVD		08/27/1
THREE RIVERS 2-51-820	Three Rivers 02-51-820	2	0805	200E	4304752685	18941	State	State	ow	P	Р		
Three Rivers 4-13-820	Three Rivers 04-13-820	5	0805	200€	4304753956		Fee	Federal	ow	APD	PERPEND	08/19/13	
THREE RIVERS 4-14-820	Three Rivers 04-14-820	5	0805	200E	4304752863	19183	Fee	Federal	ow	DRL	Р		
Three Rivers 4-33-820	Three Rivers 04-33-820	4	0805	200E	4304753528	19167	Fee	Fee	ow	DRL	Р		
Three Rivers 5-31-820	Three Rivers 05-31-820	32	0705	200E	4304753711	19068	Fee	Fee	ow	DRL	Р	1.0	
Three Rivers 7-12-821	Three Rivers 07-12-821	7	0805	210E	4304753562		Fee	Fee	ow	APD	PERPEND	04/15/13	
Three Rivers 7-21-821	Three Rivers 07-21-821	_	0805	210E	4304753560		Fee	Fee	ow	APD	PERPEND	04/15/13	
Three Rivers 7-22-821	Three Rivers 07-22-821	_	0805	210E	4304753561		Fee	Fee	ow	APD	PERPEND	04/15/13	1 1
Three Rivers 7-23-821	Three Rivers 07-23-821	_	0805	210E	4304753559		Fee	Fee	ow	APD	PERPEND	04/15/13	1 1 1
Three Rivers 7-34-821	Three Rivers 07-34-821	_	080S	210E	4304753558		Fee	Fee	ow	APD	PERPEND	04/15/13	
Three Rivers 16-11-820	Three Rivers 16-11-820	_	0805	200E	4304753474			State	ow	DRL	SCS	3-/13/13	03/12/13
Three Rivers 16-12-820	Three Rivers 16-12-820	_	0805	200E	4304753475			State	_	DRL	scs		03/12/13
Three Rivers 16-21-820	Three Rivers 16-21-820	-	0805	200E	4304753229			State	ow	DRL	P		12/11/12
Three Rivers 16-22-820	Three Rivers 16-22-820	_	0805	200E	4304753230			State	ow	DRL	P	100	12/11/12
Three Rivers 16-23-820	Three Rivers 16-23-820	_	0805	200E	4304753231	_		State	_	DRL	P P		
Three Rivers 16-24-820	Three Rivers 16-24-820	_		200E	4304753232			State	-	P	P		12/11/12
Three Rivers 16-31-820	Three Rivers 16-31-820			200E	4304753495		State	State		APD	Ľ		02/42/42
Three Rivers 16-32-820	Three Rivers 16-32-820			200E	4304753494						CCS		03/12/13
Three Rivers 16-33-820	Three Rivers 16-33-820		0805	200E	4304753494			State		DRL	WOC		03/12/13
Three Rivers 16-34-820	Three Rivers 16-34-820	_	0805	200E				State		DRL	woc		03/12/13
THREE RIVERS 16-41-820	Three Rivers 16-41-820	_			4304753472		State	State		APD	CCS		03/12/13
THREE RIVERS 16-42-820		_	0805	200E	4304752110	\rightarrow		State		P	Ρ		
THREE RIVERS 16-43-820	Three Rivers 16-42-820	_		200E	4304752056			State	ow	P	Р		
	Three Rivers 16-43-820			200E	4304752057			State		P	P		1 7 1 1
Three Rivers 16-44-820	Three Rivers 16-44-820	-		200E	4304753473		State	State	-	APD	ccs		03/12/13
Three Rivers 18-21-821 Three Rivers 18-22-821	Three Rivers 18-21-821			210E	4304753276			Fee		APD	PERPEND	12/17/12	1 2 3 5
	Three Rivers 18-22-821			210E	4304753620		Fee	Fee			PERPEND	04/15/13	and the second
Three Rivers 18-31-821	Three Rivers 18-31-821		_	210E	4304753277		Fee	Fee			PERPEND	12/19/12	1 11 11 11
Three Rivers 18-32-821	Three Rivers 18-32-821		-	210E	4304753621			Fee			PERPEND	04/15/13	
Three Rivers 27-34-720	Three Rivers 27-34-720		$\overline{}$	200E	4304753278			Fee		APD	PERPEND	12/19/12	75
THREE RIVERS 32-15-720	Three Rivers 32-15-720	-		200E	4304752736			Fee		Р	P	1.44 1.47	186, 31, 4
HREE RIVERS 32-25-720	Three Rivers 32-25-720			200E	4304752718			Fee	ow	P	P		4.44/12/
Three Rivers 32-32-720	Three Rivers 32-32-720	_		200E	4304753734	\rightarrow		Fee	ow	DRL	Р		06/12/13
Three Rivers 32-3333-720	Three Rivers 32-3333-720		070S	200E	4304753950			Fee	ow	DRL	scs		10/15/13
Three Rivers 32-333-720	Three Rivers 32-333-720			200E	4304753735	19088	Fee	Fee	ow	DRL	Р	Table William	06/12/13
hree Rivers 32-334-720	Three Rivers 32-334-720			200E	4304753710			Fee	ow	DRL	Р	1.1.1.1.1.1	05/22/13
HREE RIVERS 32-33-720	Three Rivers 32-33-720				4304752734			Fee	ow	DRL	Р		08/29/12
	Three Rivers 32-34-720	32 (0705	200E	4304752735	19249	Fee	Fee	ow	DRL	DRLG		08/29/12
HREE RIVERS 32-35-720	Three Rivers 32-35-720		$\overline{}$	200E	4304752737	18766	Fee	Fee	ow	Р	Р	44 to 1	98 7/2
hree Rivers 32-42-720	Three Rivers 32-42-720		070S	200E	4304753949			Fee	ow	APD	APRVD	4 4 1 2 1	10/15/13
HREE RIVERS 34-31-720	Three Rivers 34-31-720	-	$\overline{}$	200E	4304752012	18326	Fee	Fee	ow	Р	Р	felt Müski	
hree Rivers 34-31T-720	Three Rivers 34-31T-720	34 (070S	200E	4304753281		Fee	Fee	ow .	APD .	APRVD	productions	12/11/12
HREE RIVERS 36-11-720	Three Rivers 36-11-720	36 0	070S	200E	4304751915	18355	State	State	ow	Р	P	Life Victoria	1 1 2 2 2 3
HREE RIVERS 36-13-720	Three Rivers 36-13-720	36 (070S	200E	4304752699		State	State	ow ,	APD .	APRVD	T-10 (8/27 1-5)	08/29/12
HREE RIVERS 36-21-720	Three Rivers 36-21-720	36	070S	200E	4304752698						APRVD		08/29/12
HREE RIVERS 36-23-720	Three Rivers 36-23-720	36	705	200E	4304752733	-				P	P		
HREE RIVERS 36-31-720	Three Rivers 36-31-720	36	70S		4304752697				$\overline{}$	DRL I	P		08/29/12
hree Rivers D	Three Rivers D	_	$\overline{}$	_	4304753702						APRVD		07/15/13
	Three Rivers Fed 03-11-820				4304752950						woc		02/22/13
	Three Rivers Fed 03-12-820		-		4304753914						APRVD	# 1 Ty - 1	08/01/13
	Three Rivers Fed 03-13-820	_	 -		4304753951						PERPEND	08/12/13	00/01/13
		_			4304753952	_			\rightarrow		PERPEND		
hree Rivers Federal 3-13-820	Three Rivers Fed 03-14-820		14									08/12/13	<u> </u>
hree Rivers Federal 3-13-820 hree Rivers Federal 3-14-820	Three Rivers Fed 03-14-820 Three Rivers Fed 03-23-820		1808	ו אחמי	43047539531							00/43/473	
hree Rivers Federal 3-13-820 hree Rivers Federal 3-14-820 hree Rivers Federal 3-23-820	Three Rivers Fed 03-23-820	3 0			4304753953						PERPEND	08/12/13	11 140
hree Rivers Federal 3-13-820 hree Rivers Federal 3-14-820 hree Rivers Federal 3-23-820 hree Rivers Federal 3-24-820	Three Rivers Fed 03-23-820 Three Rivers Fed 03-24-820	3 0	80S 2	200E	4304753954	F	ederal I	Federal	ow /	APD F	PERPEND	08/12/13	
hree Rivers Federal 3-13-820 hree Rivers Federal 3-14-820 hree Rivers Federal 3-23-820 hree Rivers Federal 3-24-820 HREE RIVERS FEDERAL 3-32-820	Three Rivers Fed 03-23-820 Three Rivers Fed 03-24-820 Three Rivers Fed 03-32-820	3 C	080S 2	200E	4304753954 4304752861	18942 F	ederal I	Federal Federal	OW F	APD F	PERPEND	08/12/13	
hree Rivers Federal 3-13-820 hree Rivers Federal 3-14-820 hree Rivers Federal 3-23-820 hree Rivers Federal 3-24-820 HREE RIVERS FEDERAL 3-32-820 HREE RIVERS FEDERAL 3-33-820	Three Rivers Fed 03-23-820 Three Rivers Fed 03-24-820	3 C 3 C 3 C	080S 2 080S 2 080S 2	200E 200E	4304753954	18942 F	ederal I ederal I ederal I	Federal Federal Federal	OW F	APD F		08/12/13	12/24/12 12/24/12

Page 1 of 2 12/11/2013 2:02 PM

ATTACHMENT TO FORM 9 CHANGE OF OPERATOR

AXIA ENERGY TO ULTRA RESOURCE	ES EFFECTIVE 10-01-2013												
	Axia Well Name	7			l i	T			T	State	Actual		Date
State Well Name	(for database sort		•				Mineral	Surface	Well	Well	Status @		Apprvd
List downloaded 12-10-13	and consistency)	Sec	TWN	RNG	API Number	Entity	Lease	Lease	Туре	Status	12/12/13	Submitted	DOGM
THREE RIVERS 4-21-820	Three Rivers Fed 04-21-820	4	0805	200E	4304752875	19048	Federal	Fee	low	DRL	р		02/22/13
THREE RIVERS FED 4-31-820	Three Rivers Fed 04-31-820	4	0805	200E	4304752874		Federal	Fee	low	DRL	Ρ	 	02/22/13
Three Rivers Federal 4-32-820	Three Rivers Fed 04-32-820	4	0805	200E	4304753552	19168	Federal	Fee	ow	DRL	P		08/26/13
Three Rivers Federal 4-41-820	Three Rivers Fed 04-41-820	4	080\$	200E	4304753911		Federal	Federal	ow	APD	APRVD		08/01/13
Three Rivers Federal 4-42-820	Three Rivers Fed 04-42-820	4	0805	200E	4304753913		Federal	Federal	ow	APD	APRVD		08/01/13
Three Rivers Federal 5-11-820	Three Rivers Fed 05-11-820	_	0805	200E	4304754204	_	Federal	Federal	ow	NEW	PERPEND	12/03/13	
Three Rivers Federal 5-21-820	Three Rivers Fed 05-21-820	5	0805	200E	4304754205		Federal	Federal	ow	NEW	PERPEND	12/03/13	
Three Rivers Federal 5-42-820	Three Rivers Fed 05-42-820	5	0805	200E	4304753958		Federal	Federal	ow	APD	PERPEND	08/19/13	
Three Rivers Federal 5-43-820	Three Rivers Fed 05-43-820	_	0805	200E	4304753957		Federal	Federal	ow	APD	PERPEND	08/19/13	
THREE RIVERS FEDERAL 5-56-820	Three Rivers Fed 05-56-820	5	080S	200E	4304752862	18993		Federal	ow	P	P	00/13/13/	
THREE RIVERS FEDERAL 8-52-820	Three Rivers Fed 08-52-820	8	080S	200E	4304752770			Federal	ow	DRL	P		02/22/13
THREE RIVERS FEDERAL 8-53-820	Three Rivers Fed 08-53-820	-	0805	200E	4304752771		Federal	Federal	ow	P	P		02/22/13
Three Rivers Federal 9-41-820	Three Rivers Fed 09-41-820	1 -	0805	200E	4304753556		Federal	Federal	ow	DRL	P		08/20/13
THREE RIVERS FED 10-30-820	Three Rivers Fed 10-30-820	_	0805	200E	4304753555			Federal	ow	DRL	P		08/20/13
Three Rivers Federal 10-31-820	Three Rivers Fed 10-31-820		0805	200E	4304753437	13103	Federal	Federal	ow	APD	ccs		08/21/13
Three Rivers Federal 10-32-820	Three Rivers Fed 10-32-820		0805	200E	4304753415	-	Federal	Federal	ow	APD	ccs		08/21/13
THREE RIVERS FED 10-41-820	Three Rivers Fed 10-41-820		0805	200E	4304752948	19137		Federal		DRL	P		02/22/13
THREE RIVERS FED 10-42-820	Three Rivers Fed 10-42-820	_	0805	200E	4304752949	13137	Federal	Federal	ow	APD	APRVD		02/22/13
Three Rivers Federal 33-11-720	Three Rivers Fed 33-11-720	_	070S	200E	4304753733	19109		Fee	ow	DRL	P		07/17/13
Three Rivers Federal 33-12-720	Three Rivers Fed 33-12-720	_	070S	200E	4304753724			Fee		DRL	woc		09/16/13
Three Rivers Federal 33-13-720	Three Rivers Fed 33-13-720		0705	200E	4304753723		Federal			DRL	woc		09/16/13
Three Rivers Federal 33-14-720	Three Rivers Fed 33-14-720	-	070S	200E	4304753551					DRL	P		09/16/13
Three Rivers Federal 33-24-720	Three Rivers Fed 33-24-720	-	070S	200E	4304753557	$\overline{}$	Federal			DRL	P		07/09/13
THREE RIVERS FED 34-15-720	Three Rivers Fed 34-15-720		070S	200E	4304752965					P	P	2,787	07/03/13
THREE RIVERS FED 34-23-720	Three Rivers Fed 34-23-720	_	0705	200E	4304752945		Federal			DRL	P		02/12/13
Three Rivers Federal 34-25-720	Three Rivers Fed 34-25-720	_	0705	200E	4304753283				_	APD	APRVD	3 3 3 3 3	
THREE RIVERS FED 34-33-720	Three Rivers Fed 34-33-720	-	0705	200E	4304752947					DRL	P	9 N 9 N 198	06/10/13
Three Rivers Federal 34-35-720	Three Rivers Fed 34-35-720	-	0705	200E	4304753282					APD	APRVD		02/22/13
Three Rivers Federal 34-42-720	Three Rivers Fed 34-42-720			200E	4304753915		Federal		• • •	APD	APRVD		06/10/13
Three Rivers Federal 34-43-720	Three Rivers Fed 34-43-720			200E	4304753916		Federal				APRVD		08/01/13
Three Rivers Federal 35-11-720	Three Rivers Fed 35-11-720	_		200E	4304753916					APD		07/25/42	08/01/13
Three Rivers Federal 35-12-720	Three Rivers Fed 35-12-720	_		200E	4304753944		Federal Federal		$\overline{}$	APD	PERPEND	07/25/13	20/04/42
Three Rivers Federal 35-13-720	Three Rivers Fed 35-13-720		_	200E	4304753554						APRVD		08/01/13
Three Rivers Federal 35-14-720	Three Rivers Fed 35-14-720			200E	4304753553		Federal	-		APD	APRVD		08/20/13
Three Rivers Federal 35-21-720	Three Rivers Fed 35-21-720		$\overline{}$	200E			Federal			APD	APRVD		08/22/13
THREE RIVERS FED 35-32-720	Three Rivers Fed 35-32-720	\longrightarrow		200E	4304753943		Federal			APD	PERPEND	07/25/13	
THREE RIVERS FED 35-32-720	Three Rivers Fed 35-34-720	-			4304753005						APRVD		02/22/13
THREE RIVERS FED 35-42-720		_		200E	4304753006						APRVD		02/22/13
Three Rivers Federal 35-43-720	Three Rivers Fed 35-42-720	\rightarrow		200E	4304753007			<u> </u>			APRVD		02/22/13
Three Rivers Federal 35-43-720	Three Rivers Fed 35-43-720 Three Rivers Fed 35-442-720			200E	4304753918				\longrightarrow		APRVD		08/01/13
			_	200E	4304753919				$\overline{}$		APRVD		08/01/13
THREE RIVERS FED 35-44-720 Three Rivers Fed 03-34-820	Three Rivers Fed 35-44-720		_	200E	4304753008		Federal	Federal			APRVD		02/22/13
<u> </u>	Three Rivers Fed 03-34-820		\rightarrow	200E			Federal				SUB	12/10/13	
Three Rivers Fed 03-44-820	Three Rivers Fed 03-44-820		\rightarrow	200E			Federal		 +		SUB	12/10/13	
Three Rivers Fed 08-31-820	Three Rivers Fed 08-31-820	-		200E			Federal				SUB	12/07/13	
Three Rivers Fed 08-41-820	Three Rivers Fed 08-41-820	9[0	080S	200E			Federal			NA	SUB	12/07/13	

Page 2 of 2 12/11/2013 2:02 PM

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OU. CAS AND MINING

	5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Well List				
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for proposals to drill drill horizonta	I new wells, significantly deepen existing wells below cur I laterals. Use APPLICATION FOR PERMIT TO DRILL f	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT or CA AGREEMENT NAME:		
TYPE OF WELL OIL WELI	GAS WELL OTHER_		8. WELL NAME and NUMBER: See Attached Well List		
2. NAME OF OPERATOR: Axia Energy, LLC			9. API NUMBER:		
3. ADDRESS OF OPERATOR: 1430 Larimer Street, Ste 400 C	TY Denver STATE CO ZIP	PHONE NUMBER: (720) 746-5200	10. FIELD AND POOL, OR WILDCAT:		
4. LOCATION OF WELL. FOOTAGES AT SURFACE: See /					
			соимту: Uintah		
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:		STATE: UTAH		
11. CHECK APP	PROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 10/1/2013	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS	DEEPEN FRACTURE TREAT NEW CONSTRUCTION OPERATOR CHANGE	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR		
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	PLUG AND ABANDON PLUG BACK PRODUCTION (START/RESUME) RECLAMATION OF WELL SITE RECOMPLETE - DIFFERENT FORMATION	WATER DISPOSAL WATER SHUT-OFF OTHER:		
EFFECTIVE DATE: Octo FROM: Axia Energy, LLC 1430 Larimer Street Suite 400 Denver, CO 80202 Bond Number: Blanket St TO: Ultra Resources, Inc. 304 Inverness Way South Englewood, CO 80112 Bond Number:	tatewide UT State/Fee Bond LPM	19046682	DEC 1 6 2013 DIV. OF OIL, GAS & MINING for the operations conducted on the		
NAME (PLEASE PRINT) Daniel G.	Blanchard	TITLE President			
SIGNATURE	Hanchard	DATE <u>1211/13</u>			
This space for State use only)		AP			

APPROVED

JAN 16 2013

ATTACHMENT TO FORM 9 CHANGE OF OPERATOR AXIA ENERGY TO ULTRA RESOURCES EFFECTIVE 10-01-2013

AXIA ENERGY TO ULTRA RESOURCE	CES EFFECTIVE 10-01-2013												
	Axia Well Name	T		T					T	State	Actual		Date
State Well Name	(for database sort	ł					Mineral	Surface	Well	Well	Status @		Apprvd
List downloaded 12-10-13	and consistency)		TWN	-		Entity		Lease	Type	† 	12/12/13	Submitted	DOGM
THREE RIVERS 2-11-820 THREE RIVERS 2-13-820	Three Rivers 02-11-820 Three Rivers 02-13-820		0805	200E	4304751936	-	+	State	ow	P	P	1	
THREE RIVERS 2-15-820	Three Rivers 02-13-820 Three Rivers 02-15-820	+	0805	200E	4304752687 4304752689		+	State	low	DRL	Ρ	3	08/27/17
Three Rivers 2-21-820	Three Rivers 02-21-820		0805	200E	4304753947	18//0	State	State State	low	P APD	APRVD	3	10/15/1
Three Rivers 2-223-820	Three Rivers 02-223-820		0805	200E	4304753946		State	State	ow	APD	APRVD	4	10/15/13
Three Rivers 2-22-820	Three Rivers 02-22-820		0805	200E	4304753948		State	State	ow	APD	APRVD	3	10/15/13
THREE RIVERS 2-23-820	Three Rivers 02-23-820	-+	0805	200E	4304752688			State	ow	DRL	P		08/27/12
Three Rivers 2-24-820	Three Rivers 02-24-820	_	0805	200E	4304753945		State	State	ow	APD	APRVD	8	10/15/13
THREE RIVERS 2-25-820	Three Rivers 02-25-820	2	0805	200E	4304752690		State	State	ow	APD	APRVD	64	08/27/12
Three Rivers 2-32-820	Three Rivers 02-32-820	2	0805	200E	4304753274		State	State	ow	APD	APRVD	10	12/11/12
Three Rivers 2-33-820	Three Rivers 02-33-820	2	080S	200E	4304753273	18943	State	State	ow	Р	Р	i	
THREE RIVERS 2-41-820	Three Rivers 02-41-820	2	080S	200E	4304752686		State	State	ow	APD	APRVD	a	08/27/12
THREE RIVERS 2-51-820	Three Rivers 02-51-820	2	0805	200E	4304752685	18941	State	State	ow	Р	Р	3	
Three Rivers 4-13-820	Three Rivers 04-13-820		080S	200E	4304753956		Fee	Federal	ow	APD	PERPEND	08/19/13	1.0
THREE RIVERS 4-14-820	Three Rivers 04-14-820		0805	200E	4304752863			Federal	ow	DRL	Р	3	
Three Rivers 4-33-820	Three Rivers 04-33-820	$\overline{}$	0805	200E	4304753528			Fee	ow	DRL	Р	ا ما	
Three Rivers 5-31-820	Three Rivers 05-31-820		0705	200E	4304753711	19068		Fee	low	DRL	Р		
Three Rivers 7-12-821	Three Rivers 07-12-821		0805	210E	4304753562		Fee	Fee	OW	APD	PERPEND	04/15/13	~
Three Rivers 7-21-821 Three Rivers 7-22-821	Three Rivers 07-21-821	_	0805	210E	4304753560		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 7-23-821	Three Rivers 07-22-821 Three Rivers 07-23-821	$\overline{}$	080S 080S	210E 210E	4304753561		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 7-34-821	Three Rivers 07-23-821 Three Rivers 07-34-821	_	0805	210E	4304753559 4304753558		Fee Fee	Fee Fee	ow	APD APD	PERPEND PERPEND	04/15/13	<u>, 7</u>
Three Rivers 16-11-820	Three Rivers 16-11-820	_	0805	200E	4304753474			State	low	DRL	SCS	04/15/13	
Three Rivers 16-12-820	Three Rivers 16-12-820	_	0805	200E	4304753475			State	low	DRL	SCS	- 3	03/12/13 03/12/13
Three Rivers 16-21-820	Three Rivers 16-21-820	_	0805	200E	4304753229			State	low	DRL	P P	5	12/11/12
Three Rivers 16-22-820	Three Rivers 16-22-820	_	0805	200E	4304753230			State	ow	DRL	P	4	12/11/12
Three Rivers 16-23-820	Three Rivers 16-23-820	_	0805	200E	4304753231			State	_	DRL	P	7	12/11/12
Three Rivers 16-24-820	Three Rivers 16-24-820	_	080S	200E	4304753232			State	ow	P	Р	8	1-, 11, 12
Three Rivers 16-31-820	Three Rivers 16-31-820	16	080S	200E	4304753495		State	State	ow	APD	CCS	á	03/12/13
Three Rivers 16-32-820	Three Rivers 16-32-820	16	0805	200E	4304753494	19185	State	State	OW	DRL	woc	30	03/12/13
Three Rivers 16-33-820	Three Rivers 16-33-820	16	080S	200E	4304753496	19161	State	State	ow	DRL	woc	1	03/12/13
Three Rivers 16-34-820	Three Rivers 16-34-820	16	0805	200E	4304753472		State	State	ow	APD	ccs	2	03/12/13
THREE RIVERS 16-41-820	Three Rivers 16-41-820	+		200E	4304752110			State	ow	Р	Ρ	3	
THREE RIVERS 16-42-820	Three Rivers 16-42-820	+ -	080S	200E	4304752056			State	ow	Р	Р	4	12 325
THREE RIVERS 16-43-820	Three Rivers 16-43-820	_		200E	4304752057			State	_	Р	Р		
Three Rivers 16-44-820	Three Rivers 16-44-820	+ +	0805	200E	4304753473	-	State	State		APD	ccs	<u>6</u>	03/12/13
Three Rivers 18-21-821 Three Rivers 18-22-821	Three Rivers 18-21-821	+	0805	210E	4304753276		Fee	Fee			PERPEND	12/17/12	<u> </u>
Three Rivers 18-31-821	Three Rivers 18-22-821 Three Rivers 18-31-821		080S 080S	210E 210E	4304753620			Fee	_	_	PERPEND	04/15/13	<u> </u>
Three Rivers 18-32-821	Three Rivers 18-32-821		0805	210E	4304753277 4304753621			Fee		_	PERPEND	12/19/12	9
Three Rivers 27-34-720	Three Rivers 27-34-720	+	070S	200E	4304753278			Fee Fee			PERPEND PERPEND	04/15/13	40_
THREE RIVERS 32-15-720	Three Rivers 32-15-720	+	070S	200E	4304752736			Fee			PERPEND	12/19/12	1
THREE RIVERS 32-25-720	Three Rivers 32-25-720	+		200E	4304752718		$\overline{}$	Fee			P	+	
Three Rivers 32-32-720	Three Rivers 32-32-720	-	_	200E	4304753734			Fee	_		P	- 31	06/12/13
Three Rivers 32-3333-720	Three Rivers 32-3333-720	-		200E	4304753950			Fee			scs	4	10/15/13
Three Rivers 32-333-720	Three Rivers 32-333-720	32	070S	200E	4304753735	19088	Fee	Fee			Р	4	06/12/13
Three Rivers 32-334-720	Three Rivers 32-334-720	32	0705	200E	4304753710			Fee	ow	DRL	Р	7	05/22/13
THREE RIVERS 32-33-720	Three Rivers 32-33-720	32	070S	200E	4304752734	19016	Fee	Fee	ow	DRL	Р	8	08/29/12
	Three Rivers 32-34-720		070S	200E	4304752735	19249	Fee	Fee	ow	DRL	DRLG	9	08/29/12
THREE RIVERS 32-35-720	Three Rivers 32-35-720	+ ++		200E	4304752737	18766	Fee			Р	Р	30	
Three Rivers 32-42-720	Three Rivers 32-42-720			200E	4304753949						APRVD		10/15/13
THREE RIVERS 34-31-720	Three Rivers 34-31-720			200E	4304752012	_				Р	Р .	2	91.54.254
Three Rivers 34-31T-720 THREE RIVERS 36-11-720	Three Rivers 34-31T-720			200E	4304753281						APRVD	3	12/11/12
THREE RIVERS 36-13-720	Three Rivers 36-11-720			200E	4304751915					` —	P		
THREE RIVERS 36-21-720	Three Rivers 36-13-720 Three Rivers 36-21-720		_	200E	4304752699 4304752698			-			APRVD	5	08/29/12
THREE RIVERS 36-23-720	Three Rivers 36-23-720			200E	4304752733				ow .	APD .	APRVD	- 6	08/29/12
THREE RIVERS 36-31-720	Three Rivers 36-31-720	-		200E	4304752697					DRL	P	7	00/20/12
Three Rivers D	Three Rivers D	-			4304753702						APRVD	8	08/29/12 07/15/13
	Three Rivers Fed 03-11-820				4304752950						WOC	60	02/22/13
	Three Rivers Fed 03-12-820				4304753914				_		APRVD	- 40	08/01/13
	Three Rivers Fed 03-13-820			_	4304753951						PERPEND	08/12/13	2
	Three Rivers Fed 03-14-820	-			4304753952				-		PERPEND	08/12/13	3
	Three Rivers Fed 03-23-820	-			4304753953				-		PERPEND	08/12/13	
Three Rivers Federal 3-24-820	Three Rivers Fed 03-24-820	3 (080S	$\overline{}$	4304753954						PERPEND	08/12/13	4 5
					4204753054	10043				5			6
THREE RIVERS FEDERAL 3-32-820	Three Rivers Fed 03-32-820	3 (2080	200E	4304752861	10942]	euerai ji	reuerar 1	OVV I				FID
THREE RIVERS FEDERAL 3-32-820 THREE RIVERS FEDERAL 3-33-820	Three Rivers Fed 03-33-820	3 (080S	200E	4304752864		ederal i			——+:	APRVD	7	12/24/12
THREE RIVERS FEDERAL 3-32-820 THREE RIVERS FEDERAL 3-33-820 THREE RIVERS FEDERAL 3-53-820		3 (080S 080S	200E 200E		19104 F	ederal I	Federal	ow /	——+:	APRVD		

ATTACHMENT TO FORM 9 CHANG AXIA ENERGY TO ULTRA RESOURCE													
TAIN EIGHT TO GETTA RESCOND	Axia Well Name	т	τ	т	1	T	T	T	1	State	Actual		D=4=
State Well Name	(for database sort	ŀ	1		Ì	l	Mineral	Surface	Well	Well			Date
List downloaded 12-10-13	and consistency)	500	TWN	RNG	A DI Alumbar			1	1		Status @	Control of the control	Apprvd
THREE RIVERS 4-21-820	Three Rivers Fed 04-21-820		0805	200E	API Number	Entity	Lease	Lease	Type	Status	12/12/13 p	Submitted	DOGM
THREE RIVERS FED 4-31-820	Three Rivers Fed 04-31-820		0805	200E	4304752875	-		Fee	ow	DRL	P	70.	02/22/1
Three Rivers Federal 4-32-820	Three Rivers Fed 04-32-820	_			4304752874	_		Fee	ow	DRL	<u> </u>		02/22/1
Three Rivers Federal 4-41-820		-	0805	200E	4304753552	19168		Fee	ow	DRL	P	3	08/26/1
Three Rivers Federal 4-42-820	Three Rivers Fed 04-41-820 Three Rivers Fed 04-42-820		0805	200E	4304753911	 	Federal	Federal	ow	APD	APRVD	3	08/01/1
	 		0805	200E	4304753913		Federal	Federal	ow	APD	APRVD	H	08/01/1
Three Rivers Federal 5-11-820 Three Rivers Federal 5-21-820	Three Rivers Fed 05-11-820		0805	200E	4304754204	ļ	Federal	Federal	ow	NEW	PERPEND	12/03/13	
	Three Rivers Fed 05-21-820	+	0805	200E	4304754205	ļ	Federal	Federal	ow	NEW	PERPEND	12/03/13	
Three Rivers Federal 5-42-820	Three Rivers Fed 05-42-820		0805	200E	4304753958		Federal	Federal	ow	APD	PERPEND	08/19/13	
Three Rivers Federal 5-43-820	Three Rivers Fed 05-43-820		0805	200E	4304753957		Federal	Federal	ow	APD	PERPEND	08/19/13	8
THREE RIVERS FEDERAL 5-56-820	Three Rivers Fed 05-56-820	5		200E	4304752862	 	Federal	Federal	ow	Р	Р	9	
THREE RIVERS FEDERAL 8-52-820	Three Rivers Fed 08-52-820	+	080S	200E	4304752770		Federal	Federal	ow	DRL	Р	80	02/22/1
THREE RIVERS FEDERAL 8-53-820	Three Rivers Fed 08-53-820		0805	200E	4304752771		Federal	Federal	ow	Р	Р		
Three Rivers Federal 9-41-820	Three Rivers Fed 09-41-820	+	0805	200E	4304753556		Federal	Federal	ow	DRL	Р	a	08/20/1
THREE RIVERS FED 10-30-820	Three Rivers Fed 10-30-820	 	080\$	200E	4304753555	19169	Federal	Federal	ow	DRL	Р	3	08/20/1
Three Rivers Federal 10-31-820	Three Rivers Fed 10-31-820		0805	200E	4304753437	ļ	Federal	Federal	ow	APD	ccs	<u> </u>	08/21/13
Three Rivers Federal 10-32-820	Three Rivers Fed 10-32-820		080\$	200E	4304753415		Federal	Federal	ow	APD	ccs	5	08/21/13
THREE RIVERS FED 10-41-820	Three Rivers Fed 10-41-820		080S	200E	4304752948	19137	Federal	Federal	ow	DRL	Р	4	02/22/13
THREE RIVERS FED 10-42-820	Three Rivers Fed 10-42-820		0805	200E	4304752949		Federal	Federal	ow	APD	APRVD		02/22/13
Three Rivers Federal 33-11-720	Three Rivers Fed 33-11-720	32	0705	200E	4304753733	19109	Federal	Fee	ow	DRL	Р	8	07/17/13
Three Rivers Federal 33-12-720	Three Rivers Fed 33-12-720	33	070S	200E	4304753724	19250	Federal	Fee	ow	DRL	WOC	a	09/16/13
Three Rivers Federal 33-13-720	Three Rivers Fed 33-13-720	33	0705	200E	4304753723	19222	Federal	Fee	ow	DRL	WOC	90	09/16/13
Three Rivers Federal 33-14-720	Three Rivers Fed 33-14-720	33	0705	200E	4304753551	19107	Federal	Fee	ow	DRL	Р	70 A	09/16/13
Three Rivers Federal 33-24-720	Three Rivers Fed 33-24-720	33	070S	200E	4304753557	19108	Federal	Fee	ow	DRL	Р	67	07/09/13
THREE RIVERS FED 34-15-720	Three Rivers Fed 34-15-720	34	070S	200E	4304752965	18960	Federal	Fee	ow	Р	Р	3	7 7 7 7 7
THREE RIVERS FED 34-23-720	Three Rivers Fed 34-23-720	34	070S	200E	4304752945	19049	Federal	Fee	ow	DRL	Р	H	02/12/13
Three Rivers Federal 34-25-720	Three Rivers Fed 34-25-720	34	070S	200E	4304753283		Federal	Fee	ow	APD	APRVD	5	06/10/13
THREE RIVERS FED 34-33-720	Three Rivers Fed 34-33-720	34	070S	200E	4304752947	19050	Federal	Fee	ow	DRL	Р	6	02/22/13
Three Rivers Federal 34-35-720	Three Rivers Fed 34-35-720	34	0705	200E	4304753282		Federal	Fee	ow	APD	APRVD	7	06/10/13
Three Rivers Federal 34-42-720	Three Rivers Fed 34-42-720	35	070S	200E	4304753915		Federal	Federal	ow	APD	APRVD	8	08/01/13
Three Rivers Federal 34-43-720	Three Rivers Fed 34-43-720	35	0705	200E	4304753916		Federal	Federal	ow	APD	APRVD	ä	08/01/13
Three Rivers Federal 35-11-720	Three Rivers Fed 35-11-720	35	070S	200E	4304753944		Federal	Federal	ow	APD	PERPEND	07/25/13	100
Three Rivers Federal 35-12-720	Three Rivers Fed 35-12-720	35	0705	200E	4304753917		Federal				APRVD		08/01/13
Three Rivers Federal 35-13-720	Three Rivers Fed 35-13-720	35	_	200E	4304753554		Federal		_		APRVD	a	08/20/13
Three Rivers Federal 35-14-720	Three Rivers Fed 35-14-720	35	070S	200E	4304753553		Federal				APRVD	2	08/22/13
Three Rivers Federal 35-21-720	Three Rivers Fed 35-21-720	35	0705	200E	4304753943		Federal				PERPEND	07/25/13	U
THREE RIVERS FED 35-32-720	Three Rivers Fed 35-32-720	35	0705	200E	4304753005	19138					APRVD	57,25,25	02/22/13
THREE RIVERS FED 35-34-720	Three Rivers Fed 35-34-720		_	200E	4304753006				_		APRVD	6	02/22/13
THREE RIVERS FED 35-42-720	Three Rivers Fed 35-42-720	-	_	200E	4304753007						APRVD		02/22/13
Three Rivers Federal 35-43-720	Three Rivers Fed 35-43-720	1	_	200E	4304753918		Federal	\vdash			APRVD	8	08/01/13
Three Rivers Federal 35-442-720	Three Rivers Fed 35-442-720	-		200E	4304753919		Federal				APRVD	8	08/01/13
THREE RIVERS FED 35-44-720	Three Rivers Fed 35-44-720	-		200E	4304753008						APRVD	117	02/22/13
Three Rivers Fed 03-34-820	Three Rivers Fed 03-34-820	-		200E	1304733008		Federal	Cucial			SUB	12/10/13	02/22/13
Three Rivers Fed 03-44-820	Three Rivers Fed 03-44-820	-		200E			Federal				SUB		
Three Rivers Fed 08-31-820	Three Rivers Fed 08-31-820			200E 200E			Federal				SUB	12/10/13	<u> </u>
Three Rivers Fed 08-41-820	Three Rivers Fed 08-41-820		_	200E			Federal				SUB	12/07/13	3
35 1114613 1 CG 00-41-020	CC MVC13 1 CG U0-41-02U		0003	200E			r cuel di	LL		IVA .	300	12/07/13	

Sundry Number: 45257 API Well Number: 43047532290000

	STATE OF UTAH		FORM 9						
ı	DEPARTMENT OF NATURAL RESOUI DIVISION OF OIL, GAS, AND M		5.LEASE DESIGNATION AND SERIAL NUMBER: ML-49319						
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME:						
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: Three Rivers 16-21-820						
2. NAME OF OPERATOR: AXIA ENERGY LLC			9. API NUMBER: 43047532290000						
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400, Der	nver, CO, 80202 720	9. FIELD and POOL or WILDCAT: THREE RIVERS							
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1170 FNL 1898 FWL			COUNTY: UINTAH						
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section:	HIP, RANGE, MERIDIAN: 16 Township: 08.0S Range: 20.0E Me	STATE: UTAH							
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA									
TYPE OF SUBMISSION		TYPE OF ACTION							
	ACIDIZE	ALTER CASING	CASING REPAIR						
NOTICE OF INTENT Approximate date work will start:	✓ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME						
Approximate date from this class.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE						
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	New construction						
6/4/2013	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK						
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION						
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON						
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL						
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION						
Report Date:		☐ SITA STATUS EXTENSION							
	WILDCAT WELL DETERMINATION	□ OTHER	OTHER:						
Axia Energy LLC	completed operations. Clearly shorespectfully requests appropriate Dated 06-04-13. SHL: NENW Sec 16-T8S-R20	oval to update SHL per 1162' FNL & 1912' FWL	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 13, 2014						
NAME (PLEASE PRINT)	PHONE NUM	BER TITLE							
Cindy Turner	720 746-5209	Project Manager							
SIGNATURE N/A		DATE 11/24/2013							

Sundry Number: 45257 API Well Number: 43047532290000

May 8, 2013

Mr. Dustin Doucet Utah Division of Oil, Gas & Mining 1594 West North Temple Salt Lake City, Utah 84116

RE: Directional Drilling – R649-3-11

Three Rivers 16-21-820 (API # 43047532290000) NENW Sec 16-T8S-R20E Uintah County, UT

Mr. Doucet:

In accordance with our recent correspondence with your office, Axia Energy respectfully submits the below specifics concerning the proposed directional drilling of the subject well.


- Axia Energy, LLC is the sole owner of 100% of the leasehold rights within 460' around proposed wellbore and bottom hole location of the captioned well.
- In addition, the State mineral ownership is also consistent throughout the wellbore path.
- The directional drilling of the well is proposed to limit surface disturbance within the project and affected surface owners and utilize an existing pad.

Therefore, based on the above stated information, Axia Energy requests the permit be granted pursuant to R649-3-11.

Thank you in advance for your consideration. Please feel free to contact me at 720-746-5212 if you have any questions or comments.

Sincerely, AXIA ENERGY, LLC

Jess Peonio Senior Drilling Engineer & Regulatory Manager



(5/2013)

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING AMENDED REPORT ☐ FORM 8 (highlight changes) 5. LEASE DESIGNATION AND SERIAL NUMBER:											8								
•						2 20222.003200	#5490 #5400 TO 50		6 1 88				- 8	ИL-49						
WEL	L CON	IPLE	TION	OR F	RECO	MPL	ETIC	N RI	EPOR	T ANI	D LOG		8. IF	INDIAN	, ALLOTT	EE OR	TRIBI	E NAME		
1a. TYPE OF WELL		(WELL	7 ;	GAS E]	DRY		ОТН	R			7. U	NIT or C	A AGREE	MENT	NAME			
b. TYPE OF WORK	HORIZ.] [PEP-]	RE- ENTRY]	DIFF. RESVR.		отн	R				Three	ME and N Rive			-820		
2. NAME OF OPER Axia Ener														PI NUME 13047	ER: 75322	9				
3. ADDRESS OF OI 1430 Larimo		te 400	сту Де	nver		STATE	СО	ZIP 802	202		NUMBER: 20) 746-	5200	1	WILD						
4. LOCATION OF W AT SURFACE:	A STATE OF THE PARTY OF THE PAR		FNL &	1912'	FWL		n f							MERIDIA NW	R, SECTION: N: 16	от ,ис 8S		IIP, RANG		
AT TOP PRODU	CING INTER	VAL REPO	ORTED BE	LOW: N	IENW	455' F	FNL &	1960'	FWL											
AT TOTAL DEPI	H: NEN	W 494	'FNL	& 1979	9' FWL								200700	OUNTY AT N II			13.	STATE	UTA	Н
14. DATE SPUDDE 5/1/2013	D:	15. DATE 5/23/	T.D. READ 2013	CHED:	Secretary 2000 (462)	E COMPL 2013	ETED:	- 1	ABANDONI	ED []	READY TO	PRODUC	E 🚺		741' C					
18. TOTAL DEPTH:	MD 68	390		19. PLUG	60,62,620	D.: MD	6,825 6,728		20. IF N	IULTIPLE C	OMPLETION	S, HOW N	MANY?*	21. DE	TH BRID	GE	MD TVD			
22. TYPE ELECTRI	2000		NICAL LO	GS RUN (Submit co				la .	23.							140	- No. of the last		
SD-DSN-AC	CTR, Mu	ıd Log,	Og, CBL WAS WELL CORED? NO YES (Submit analys WAS DST RUN? NO YES (Submit report) DIRECTIONAL SURVEY? NO YES (Submit copy)									t report)								
24. CASING AND L	INER RECO	RD (Repor	t all string	s set in w	ell)	***					7-00%									_
HOLE SIZE	SIZE/GF	RADE	WEIGHT	Γ (#/ft.)	тор	(MD)	вотто	M (MD)		EMENTER PTH	CEMENT T NO. OF S		SLURRY VOLUME (8BL) CEMENT			NT TOF	o **	AMOUNT	r PULL	ΕD
26	16				(120 G 100				100	2	1		0				
12-1/4	8-5/8	J-55	24		(29			G	675				CIR	_			
7-3/4	5-1/2	J-55	1	/	()	68	72			G	425	170 2		279	0 CE	3L			
															-					_
				-							(in the second				-		-			_
25. TUBING RECO	RD	4													<u></u>					_
SIZE	_	SET (MD)	PACH	(ER SET (I	MD)	SIZE		DEPTH	SET (MD)	PACKE	R SET (MD)		SIZE	T	DEPTH SI	ET (MD	1 1	PACKER S	SET (M	D)
2-7/8	4:	577				3.0049901220					,						\top			
26. PRODUCING IN	TERVALS		2000	. 100000000			- 10			27. PERFO	RATION REC	ORD								
FORMATION	15555460011111	_	P (MD)	BOTTO	M (MD)		(TVD)	вотто	M (TVO)	INTERVA	L (Top/Bat -	MD)	SIZE	NO. HO	LES	PER	FORA	TION STA	TUS	
(A) Green Riv	/er	2	554	6,5	501	2,5	531	6,4	04	4727	6	482	.35	18	3 Ор	en 🗸] 5	queezed		
(B)												TELL!			Ор	en] s	queezed		
(C)															Ор	en] s	queezed		
(D)			-												Ор	en _	s	queezed		
28. ACID, FRACTUI	RE, TREATM	ENT, CEM	ENT SQU	EEZE, ET	;. 															
WAS WELL H	IYDRAULICA	LLY FRAC	TURED?	YES	V NO		IF YES	- DATE F	RACTURE	D: 6/22	/2013			_						
DEPTHI	NTERVAL								AMO	T DNA TAL	YPE OF MAT	ERIAL								
4727 TO 64	82		Gre	en Riv	er Hyl	orid Fr	ac - 25	5,842	bbls slu	ırry, 1,0	48,110	gal flu	id, 848	3,020	# 20/4	0 Pr	emi	um W	hite	
										9 1000			500							
		_	<u> </u>		-							V								_
	RICAL/MECH	HANIÇAL L) CEMENT	VERIFICA	ATION	=	GEOLOGI CORE AN	C REPORT		DST REPOR	LW_	(S)		SURVEY	30. W		status: Prod		
		Y67											_							_

(CONTINUED ON BACK)

31. INITIAL PRO		1		TOPIC TO STATE OF THE STATE OF	TERVAL A (As sho			_		
6/29/2013		7/29/20	13	HOURS TESTE	D: 24	TEST PRODUCTION RATES: →	OIL - BBL: 213	GAS – MCF: 77	WATER - BBL:	PROD. METHOD: Pumping
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS	API GRAVITY 32.00	BTU - GAS	GAS/OIL RATIO 362	24 HR PRODUCTION RATES: →	OIL - BBL: 213	GAS – MCF: 77	WATER - BBL: 195	Open
	·		1000	INT	ERVAL B (As sho	wn in item #26)	•			
DATE FIRST PR	ODUCED:	TEST DATE:		HOURS TESTE	D:	TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS	. API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS
*****		***		INT	ERVAL C (As sho	wn in item #26)	•		•	
DATE FIRST PR	ODUCED:	TEST DATE:		HOURS TESTER	D:	TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS	. API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS
200				INT	ERVAL D (As sho	wn in item #26)				
DATE FIRST PR	ODUCED:	TEST DATE:		HOURS TESTER	D:	TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS
VENTED	N OF GAS (Sold, /USED	Used for Fuel,	Vented, Etc.)							
3. SUMMARY	OF POROUS ZON	IES (Include Aq	ulfers):	100	A - 31(MA) *1	34	. FORMATION ((Log) MARKERS:		
			hereof: Cored interva ressures and recover		ı tests, including de	pth Interval tested,				
Formatio	ın	Top (MD)	Bottom (MD)	Descrip	itions, Contents, etc	÷.		Name	(1	Top Measured Depth)
	8 8 8 8					(Green Rive	er		2,554
							Garden Gli	uch		4,553
							Uteland Bu	utte		6,356
						1	Nasatch			6,501
									1	
			Į.							
		İ	1							
5. ADDITIONAL	. REMARKS (Incl	ude plugging p	rocedure)							
6. I hereby cen	lify that the foreg	oing and attach	ned information is c	omplete and corre	ect as determined	from all available reco	rds.			
NAME (PLEAS	E RIMT) Cind	ly Turner				тітье Proje	ct Manage	r		
SIGNATURE_	1/ndl	A UN	ne			DATE 11/5/	Name of the second	2		
	· A THAN									
	ust be submitt			-	roontoring o r	neviously nivened	and abandar	and well		

- completing or plugging a new well
 drilling horizontal laterals from an existing well bore
 recompleting to a different producing formation

- reentering a previously plugged and abandoned well
 significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

** ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining

1594 West North Temple, Suite 1210

Box 145801

Salt Lake City, Utah 84114-5801


Phone: 801-538-5340

Fax: 801-359-3940

(5/2013)

^{*} ITEM 20: Show the number of completions if production is measured separately from two or more formations.

WELLBORE DIAGRAM (after completion)





Job Number: 5172013

Company: Axia Energy

Lease/Well: Three Rivers 16-21-820

Location: Vernal Rig Name: Capstar 321 State/County: Utah/ Uintah Country: USA

API Number:

Elevation (To MSL): 0.00 ft

RKB: 0.00 ft

Projection System: US State Plane 1983 Projection Group: Utah Central Zone

Projection Datum: GRS80 Magnetic Declination: 10.92 Grid Convergence: 1.16808 E Date: Thursday, May 23, 2013

Calculated by HawkEye Software Minimum Curvature Method Vertical Section Plane 5.85°

Northing (US ft): 7219999.53 Easting (US ft): 2150334.60 Latitude: 40°07'35.3875" N Longitude: -109°40'34.5635" W

Well Location: 2102 FNL, 2184 FWL, Section 16, T8S, R20E, Meridian 26, Uintah County, UT Direction Reference: True North

0.00 1119.00		Deg	(Ft)	(Ft)	(Ft)	VS (Ft)	DLS °/100Ft
	0.00	0.00	0.00	0.00	0.00	0.00	0.
	0.70	133.40	1118.97	-4.70	4.97	-4 .17	0.
1205,00	1.90	86.80	1204,95	-4.98	6.77	-4.26	1.
1290.00	2.30	46.60	1289.90	-3.73	9.42		
1376.00	4.60	32.40				-2.75	1.
1376.00	4.00	32.40	1375.74	0.37	12.52	1.64	2.
1461.00	5.50	43.00	1460.41	6.23	17.12	7.94	1.
1546.00	6.30	31.90	1544.96	13.17	22.37	15.38	1.
1632.00	6.90	32.60	1630,39	21.52	27.64	24.23	0.
1717.00	8.20	25.70	1714.65	31.29	33.02	34.49	1.
1803.00	8.60	14.40	1799.74	43.04	37.28	46.62	1.
1888.00	9.10	7.20	1883,73	55.87	39.71	59.62	1.
1974.00	10.50	359.20	1968.47	70.45	40.45	74.21	2.
2059.00	11.30	358.60	2051.94	86.52	40.14	90.16	0.
2145.00	12.70	358.20	2136.06	104.40	39.63	107.89	1.
2230.00	13.50	354.20	2218.85	123.61	38.34	126.87	1.
2230.00	13,30	304.20	2210.00	123.01	38.34	120.87	1.
2315.00	15.10	353.00	2301.21	144,47	35.99	147.38	1.
2401.00	16.10	351.80	2384.04	167.39	32.92	169.87	1.
2486.00	14.60	354.30	2466.01	189.71	30.18	191.80	1.
2572.00	14.20	357.80	2549.31	211.04	28.69	212.87	1.
2657.00	15.00	0.30	2631.56	232,46	28.35	234.14	1.
2742.00	15.00	1.90	2713.67	254.45	28.77	256.06	0.
2828.00	16.50	3.40	2796.44	277.77	29.87	279.37	1.
2913.00	19.20	4.40	2877.34	303.76	31.66	305.40	3.
2999.00	20.50	6.30	2958.23	332.83	34.39	334.60	1.
3084.00	22.50	6.50	3037.31	363.78	37.87	365.75	2.
3169.00	24.50	7.20	3115.25	397.43	41.92	399.64	2.
3255.00	23.80	6.90	3193.73	432.35	46.24	434.81	0.
3340.00	23.00	6.40	3271.74	465.88	50.15	468.57	0.
3426.00	21.50	4.00	3351.33	498.30	53.12	501.12	2.
3511.00	18.50	4.00	3431.20	527.29	55.31	530.18	3.
0507.00	4=	0.00					
3597.00	15.60	359.10	3513.41	552.45	56.25	555.31	3.
3682.00	13.40	355.20	3595.70	573.70	55.25	576.34	2.
3768.00	10.50	353.60	3679.83	591.42	53.54	593.80	3.
3853.00	9.10	346.60	3763.59	605.66	51.12	607.71	2.
3938.00	10.50	359.10	3847.36	619.94	49.44	621.75	2.
4024.00	8.70	359.60	3932.15	634.28	49.27	636.00	2.
4109.00	8.20	354.30	4016.23	646.74	48.62	648.33	1.
4194.00	7.10	2.60	4100.47	658.02	48.26	659.52	1.
4280.00	6.70	0.40	4185.85	668.35	48.53	669.82	0.
4365.00	6.70	355.40	4270.27	678.25	48.17	679.63	0.
4451.00	6.20	5.00	4355.73	687.88	48.17	689.21	1.
4536.00	4.70	359.60	4440.34	695.93	48,55	697.26	1.

Page # 1 <Wellpath: Three Rivers 16-21-820 Survey>

Measured Depth (Ft)	INC Deg	AZM Deg	TVD (Ft)	NS (Ft)	EW (Ft)	VS (Ft)	DLS °/100Ft
4621.00	3.50	346.50	4525.13	701.94	47.92	703.17	1.78
4707.00	3.00	17.00	4610,99	706,64	47.97	707.85	2.00
4792.00	3.00	35.50	4695.88	710.58	49.91	711.97	1.13
4878.00	2.10	83.40	4781.80	712.60	52.78	714.26	2.5
4963.00	1.70	102.80	4866.76	712.49	55.56	714.45	0.8
5049.00	1.50	123.20	4952.72	711.60	57.74	713.78	0.7
5134.00	1.90	131.90	5037.69	710.05	59.72	712.43	0.5
5219.00	1.60	130.60	5122.65	708.33	61.67	710.93	0.3
5305.00	1.80	144.20	5208.61	706.46	63.37	709.24	0.5
5390.00	1.80	161.00	5293.57	704.11	64.59	707.03	0,6
5476.00	1.10	172.90	5379.54	702.01	65.13	705.00	0.8
5561.00	1.70	171.30	5464.51	699.96	65.42	702.98	0.7
5647.00	1.80	159.60	5550.47	697.43	66.09	700.53	0.4
5732.00	1.50	184.80	5635.44	695.07	66.46	698.23	0.9
5817.00	1.40	156.90	5720.41	693.01	66.77	696.20	0.8
5903.00	1.40	161.40	5806.39	691.05	67.52	694,33	0.1
5988.00	1.60	187.80	5891.36	688.89	67.69	692.20	0.8
6074.00	1.30	199.90	5977.33	686.78	67.19	690.05	0.5
6159,00	1.40	165.50	6062.31	684.87	67.13	688.14	0.9
6245.00	1.70	179.40	6148.28	682.57	67.40	685.89	0.5
6330.00	1.80	187.20	6233.24	679.99	67.25	683.30	0.3
6416,00	1.70	195.90	6319.20	677.42	66.73	680.70	0.3
6501.00	1.10	174.90	6404.17	675.40	66.46	678.65	0.9
6587.00	1.10	161.10	6490.16	673.79	66.80	677.09	0.3
6672.00	1.10	195.20	6575.14	672.23	66.85	675.55	0.7
6757.00	1.50	164.20	6660.12	670.38	66.94	673.71	0.9
6837.00	1.10	181.30	6740.10	668.60	67.21	671.97	0.6
-Projection to TD	P 100 100 100 100 100 100 100 100 100 10	7.644.000					
6890.00	1.10	181.30	6793.09	667.58	67.18	670.95	0.0

Page # 2 <Wellpath: Three Rivers 16-21-820 Survey>

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM											
Operator:	Ultra Petroleum Inc.		Operator Account Number:	N 4045							
Address:	116 Inverness Drive E	ast Suite 400	•								
	city Denver										
	state CO	zip 80112	Phone Number:	(307) 367-5041							

Well 1

API Number	Well	QQ	Sec	Twp	Rng	County	
	Multiple Wells						Uintah
Action Code	Current Entity Number	New Entity Number		Spud Da	te		tity Assignment Effective Date
D	See List	19892				ති	110/15

Comments: Assign multiple wells to a new common entity number. List of wells attached.

TRIL CTB North

Well 2

API Number	Well	QQ	QQ Sec Twp			County	
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
D	See List	19893				8/	10/15
Comments:							
TRUOC	TP Scrith						

Well 3

API Number	Well	lame	QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

ACTION CODES:

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

la	SIY	ine	ΔI	lison
	S 11		\sim	насн

Name (Please Print)

Signature

Name Alle

Sr. Permitting Analyst

Title

8/6/2015

Date

WellCode	WellName	API	Current Entity Number	QtrQtr	Section	Township	Range	County	SpudDate
TR16 CTB Nort	h								
TR16-11-820	THREE RIVERS 16-11-820	4304753474	19262	SWNW	16	85	20E	UINTAH	28-Dec-13
TR16-11T-820	THREE RIVERS 16-11T-820	4304754352	19557	NWNW	16	85	20E	UINTAH	29-Jun-14
TR16-12-820	THREE RIVERS 16-12-820	4304753475	19263	SWNW	16	85	20E	UINTAH	06-Jan-14
TR16-12T-820	THREE RIVERS 16-12T-820	4304754353	19558	NWNW	16	85	20E	UINTAH	23-Jun-14
TR16-21-820	THREE RIVERS 16-21-820	4304753229	19024	NENW	16	85	20E	UINTAH	25-May-13
TR16-21T-820	THREE RIVERS 16-21T-820	4304754364	19578	SENW	16	8 S	20E	UINTAH	30-Jul-14
TR16-22A-820	THREE RIVERS 16-22A-820	4304754365	19579	SENW	16	85	20E	UINTAH	26-Jul-14
TR16-31-820	THREE RIVERS 16-31-820	4304753495	19269	NWNE	16	85	20E	UINTAH	13-Jan-14
TR16-41-820	THREE RIVERS 16-41-820	4304752110	18356	NENE	16	85	20E	UINTAH	31-Jan-12
TR16-42L-820	THREE RIVERS 16-42L-820	4304754269	19491	SENE	16	8\$	20E	UINTAH	20-Jul-14
TR16-42T-820	THREE RIVERS 16-42T-820	4304754292	19471	NENE	16	85	20E	UINTAH	06-May-14
TR16-44T-820	THREE RIVERS 16-44T-820	4304754356	19561	SENE	16	8 S	20E	UINTAH	15-Jul-14
TR16 CTB South	h :		· -	:				:	-
/ TR16-13T-820	THREE RIVERS 16-13T-820	4304754339	19492	NWSW	16	85	20E	UINTAH	02-Jun-14
TR16-14T-820	THREE RIVERS 16-14T-820	4304754340	19493	NWSW	16	85	20E	UINTAH	06-Jun-14
TR16-22-820	THREE RIVERS 16-22-820	4304753230	18961	NENW	16	85	20E	UINTAH	31-May-13
TR16-23-820	THREE RIVERS 16-23-820	4304753231	19037	SESW	16	85	20E	UINTAH	15-Jun-13
TR16-24-820	THREE RIVERS 16-24-820	4304753232	19038	SESW	16	85	20E	UINTAH	08-Jun-13
TR16-26T-820	THREE RIVERS 16-26T-820	4304754351	19556	NESW	16	85	20E	UINTAH	16-Jul-14
TR16-32-820	THREE RIVERS 16-32-820	4304753494	19185	SWNE	16	85	20E	UINTAH	27-Sep-13
TR16-32T-820	THREE RIVERS 16-32T-820	4304754290	19470	NWNE	16	8S	20E	UINTAH	01-May-14
TR16-33-820	THREE RIVERS 16-33-820	4304753496	19161	SWNE	16	85	20E	UINTAH	12-Nov-13
TR16-33T-820	THREE RIVERS 16-33T-820	4304754354	19559	NWSE	16	85	20E	UINTAH	04-Jul-14
TR16-34-820	THREE RIVERS 16-34-820	4304753472	_ 19278	SWSE	16	85	20E	UINTAH	24-Jun-14
TR16-34T-820	THREE RIVERS 16-34T-820	4304754355	19560	NWSE .	16	8\$	20E	UINTAH	11-Jul-14
TR16-36T-820	THREE RIVERS 16-36T-820	4304754289	19529	SESE	16	85	20E	UINTAH	16-Jun-14
TR16-43-820	THREE RIVERS 16-43-820	4304752057	18683	NESE	16	8S	20E	UINTAH	09-Aug-12
TR16-44-820	THREE RIVERS 16-44-820	4304753473	19268	SESE	16	85	20E	UINTAH	19-Jun-14
TR16-46T-820	THREE RIVERS 16-46T-820	4304754348	19530	SESE	16	85	20E	UINTAH	11-Jun-14